

የጥቃቅና ማረጋገጫ/Δግኝነት አገልግሎት

፳፻፲፭

PBR = $\frac{1}{2} \text{R}_{\text{max}} F_R = \rho a^2 \sigma_{\text{min}}$

$$N_{\text{min}} = 20^{\text{th}} > \text{L}$$

$R_{\text{max}} = \Delta L \cdot L \cdot D \cdot C$ (4% -> $L = 4.5 \text{ m}$; $D = 1998$)

$F_R = \frac{D \cdot L \cdot C \cdot a^2 \cdot \sigma_{\text{min}}}{\Delta L \cdot D \cdot C \cdot a^2 \cdot \sigma_{\text{min}}} = \frac{4.5 \cdot 1998 \cdot a^2 \cdot \sigma_{\text{min}}}{2 \cdot 1998 \cdot a^2 \cdot \sigma_{\text{min}}} = 2.25$.

$PBR = \frac{1}{2} R_{\text{max}} F_R = \frac{1}{2} \cdot 4.5 \cdot 1998 \cdot 0.225 = 523.5 \text{ kg/m}^3$

የጥናት $F_R = 0.1$ በማመራር $D = 1998$, $C = 2$, $a = 0.5 \text{ m}$, $L = 4.5 \text{ m}$ እኔ የጥናት ሙሉ መያዥ ስምም ይለንስ. ይህንን ማረጋገጫ ተከራክሩ ማስረጃ ይችላል. ይህንን ማረጋገጫ ንዑስ ማስቀመጥ ይችላል.

የጥናት ሙሉ መያዥ $PBR = 523.5 \text{ kg/m}^3$ የጥናት ሙሉ መያዥ ስምም ይለንስ. $PBR = 523.5 \text{ kg/m}^3$ የጥናት ሙሉ መያዥ የጥናት ሙሉ መያዥ ስምም ይለንስ.

የጥናት ሙሉ መያዥ $PBR = 523.5 \text{ kg/m}^3$ የጥናት ሙሉ መያዥ ስምም ይለንስ.

ሁሉም የጥናት ሙሉ መያዥ 2. $PBR = 523.5 \text{ kg/m}^3$ ($\text{CV} = 0.39$). $\Delta L = 10 \text{ m}$ የጥናት ሙሉ መያዥ $PBR = 523.5 \text{ kg/m}^3$ ($\text{CV} = 0.26$) ($CV = 0.39$).

$\frac{CV}{PBR}$	$\frac{CV}{PBR}$	N_{min}	$(F_R = 0.1)$	$(F_R = 0.5)$
$\frac{CV}{PBR}$	$\frac{CV}{PBR}$	N_{min}		

PRI-GoB-ES ¹	3903	0.51	14,400	0.61	8991	18	90
-------------------------	------	------	--------	------	------	----	----

¹ PRI-GoB-ES = $\frac{V_{\text{容积}}}{V_{\text{水}} / \text{密度}} = \frac{3903}{1000 / 1024} = 3.82$

ሀጋሪ ጠቅላላ ቤት

የጥናት ሙሉ መያዥ $PBR = 523.5 \text{ kg/m}^3$ ($\text{CV} = 0.39$) የጥናት ሙሉ መያዥ ስምም ይለንስ. ይህንን ማረጋገጫ ንዑስ ማስቀመጥ ይችላል.

የጥናት ሙሉ መያዥ $PBR = 523.5 \text{ kg/m}^3$ ($\text{CV} = 0.39$) የጥናት ሙሉ መያዥ ስምም ይለንስ.

- Dueck, L., P. Richard and S. Cosens. 2008. A review and re-analysis of Cosens et al. (2006) aerial survey assessment of bowhead whale abundance for the eastern Canadian Arctic DFO Can. Sci. Advis. Sec. Res. Doc. 2008/080.
- George, J.C., J. Bada, J. Zeh, L. Scott, S.E. Brown, T. O'Hara, and R. Suydam. Age and growth estimates of bowhead whales (*Balaena mysticetus*) via aspartic acid racemization. Canadian Journal of Zoology 77: 571-580.
- Hammill, M.O. and G.B. Stenson. 2003. Harvest simulations for 2003-2006 harp seal management plan. DFO Can. Sci. Advis. Sec. Res. Doc. 2003/068.
- Heide-Jørgensen, M.P., K.L. Laidre, Ø. Wiig, M.V. Jensen, L. Dueck, L.D. Maiers, H.C. Schmidt and R.C. Hobbs. 2003. From Greenland to Canada in ten days: tracks of Bowhead whales, *Balaena mysticetus*, across Baffin Bay. Arctic 56:21-31.
- Heide-Jørgensen, M.P., K.L. Laidre, M.V. Jensen, L. Dueck, L.D. Postma. 2006. Dissolving stock discreteness with satellite tracking: bowhead whales in Baffin Bay. Marine Mammal Science 22: 34-45.
- Higdon, J.W. Commercial and subsistence harvests of bowhead whales (*Balaena mysticetus*) in the eastern Canadian Arctic and West Greenland. DFO Can. Sci. Advis. Sec. Res. Doc. 2008/008.
- Koski, W.R., R.A. Davis, G.W. Miller and D.E. Withrow. 1993. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 239-274. Soc. Mar. Mamm. Spec. Publ. 2.
- Mitchell, E.D. and R.R. Reeves. 1982. Factors affecting abundance of bowhead whales *Balaena mysticetus* in the eastern Arctic of North America, 1915-1980. Biological Conservation 22: 59-78.
- Montague, J.J. 1993. Introduction. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 1-21. Soc. Mar. Mamm. Spec. Publ. 2.
- Nerini, M.K., H.W. Braham, W.M. Marquette, and D.J. Rugh. 1984. Life history of the bowhead whale (Mammalia, Cetacea). Journal of Zoology (London) 204: 443-468.
- NWMB. 2000. Final report of the Inuit Bowhead Knowledge Study, Nunavut, Canada. Iqaluit, Nunavut: Nunavut Wildlife Management Board. 90 p.
- Reeves, R.R and E. Mitchell. 1990. Bowhead whales in Hudson Bay, Hudson Strait, and Foxe Basin: A review. Le Naturaliste Canadien. 117: 25-43.
- Rosa, C., J.C. George, J. Zeh, O. Botta, M. Zauscher, J. Bada and T.M. O'Hara. 2004. Update on age estimation of bowhead whales (*Balaena mysticetus*) using aspartic acid racemization. IWC/SC/56/BRG6.
- Ross, W.G. 1993. Commercial whaling in the north Atlantic Sector. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 511-561. Soc. Mar. Mamm. Spec. Publ. 2.
- Schell, D.M. and S.M. Saupe 1993. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 491-509. Soc. Mar. Mamm. Spec. Publ. 2.

Wade, P. R. 1998. Calculating limits to the allowable human-caused mortality of cetaceans and pinnipeds. *Marine mammal science*, 14:1-37

Weintraub, B. 1996. Harpoon blades point to long-lived whales (March Geographica). National Geographic Society, 1145 17th St. NW, Washington, D.C. 20036.

Woodby, D.A., and D.B. Botkin. 1993. Stock sizes prior to commercial whaling. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), *The bowhead whale*, p. 387-407. Soc. Mar. Mamm. Spec. Publ. 2.

ፖ.ሪ.ብ.ሪ. ማረጋገጫ

ከፍተኛ ሰነድ በ:
S. H. Ferguson
Fisheries and Oceans Canada
501 University Crescent
Winnipeg, MB
R3T 2N6

ፖ.ሪ.ብ.ሪ. በ: (204) 983-5057
ኤሌክትሻል: (204) 984-2403
ኢሜል: steve.ferguson@dfo-mpo.gc.ca

ፖ.ሪ.ብ.ሪ. ለሚገኘውን የሚከተሉትን:

Center for Science Advice (CSA)
Central and Arctic Region
Fisheries and Oceans Canada
501 University Crescent
Winnipeg, Manitoba
R3T 2N6

ፖ.ሪ.ብ.ሪ.:(204) 983-5131
ኤሌክትሻል: (204) 984-2403
ኢሜል: xcna-csa-cas@dfo-mpo.gc.ca
ወጪ: www.dfo-mpo.gc.ca/csas

ISSN 1480-4913 (በበኩርቃለኛው)
© ዓ.ም. 2008

La version française est disponible à l'adresse ci-dessus.



ክልል የሚገኘውን የሚከተሉትን የሚመለከት የሚከተሉትን

DFO. 2008. Assessment of eastern Arctic bowhead whales (*Balaena mysticetus*). DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2007/053.