



▷በየመንግሥት የሚከተሉት ስምዎች በመሆኑ አገልግሎት የሚከተሉት ስምዎች በመሆኑ አገልግሎት
የሚከተሉት ስምዎች በመሆኑ አገልግሎት የሚከተሉት ስምዎች በመሆኑ አገልግሎት
(፪፭፻፯)



Διεύθυνση:

1860-1915, 1915-1960, 1960-1980, 1980-1990, 1990-2000, 2000-2010, 2010-2015, 2015-2016. The first four periods represent the historical period of the Arctic climate, while the last two periods represent the modern period. The historical period is characterized by relatively stable sea ice conditions, while the modern period is characterized by significant changes in sea ice extent and thickness. The COSEWIC report also highlights the impact of climate change on the Hudson Bay-Foxe Basin (HB-FB) and Davis Strait-Baffin Bay (DS-BB) regions. The HB-FB region is characterized by a large area of open water, while the DS-BB region is characterized by a large area of pack ice. The COSEWIC report notes that the HB-FB region has experienced significant declines in sea ice extent and thickness, while the DS-BB region has experienced significant increases in sea ice extent and thickness. The COSEWIC report also notes that the HB-FB region has experienced significant declines in sea ice extent and thickness, while the DS-BB region has experienced significant increases in sea ice extent and thickness. The COSEWIC report also notes that the HB-FB region has experienced significant declines in sea ice extent and thickness, while the DS-BB region has experienced significant increases in sea ice extent and thickness.

羌族文化研究 DS-BB HB-FB 会议论文集 羌族文化研究 DS-BB HB-FB 会议论文集

be °a °b σ ΔPDC(%)Γ 48% cΔ4°γ/γJC 17°a °γCD 4c ΔoΔc
be °a °b σ ΔPDC(%)Γ 48% cΔ4°γ/γJC 17°a °γCD 4c ΔoΔc

◀▷σ▷σ^ω◀ ▷∩^ω∩C▷σ^ωΓ^ωΦ^c

ይገኘው የሚሸፍ ማረጋገጫዎችን በመስቀል እንደተለቀባዩ የሚከተሉት ደንብ የሚያሳይ

አገርናይሸቦርርናኋር, ፈጂ ጥሃትና አገልግሎት ተወስኑን የሚያሳይቷል (Alvarez-Flores 2006) ፈጂ ለምትናኝ የሚያሳይቷል (Dueck ፈጂ Richard 2006) የሚከተሉበት የገመናውን የሚያሳይቷል (YTR) የላይ ይገልጻል. የገመናውን ስምምነት የሚያሳይቷል (70% የገመናውን ስምምነት የሚያሳይቷል) የሚያሳይቷል (Dueck 2006) የሚከተሉበት የገመናውን ስምምነት የሚያሳይቷል (YTR) የላይ ይገልጻል.

एर्गमेंट्स थेटल्यूड के दोनों पक्षों पर एक विशेष विलंब का विवरण है। यह विलंब 150-से² धूम्रपान के साथ होता है (George et al. 1999, Schell and Sause 1993, Weintraub 1996). अंदरूनीय एक्स्प्रेस थेटल्यूड के बीच की विवरण 20 मीटर (Nerini et al. 1984)। एजुकेशन ग्राउंड्स के दोनों पक्षों पर एक विशेष विलंब होता है। एक्स्प्रेस थेटल्यूड के दोनों पक्षों पर 12-13 मीटर (Koski et al. 1993)। एक्स्प्रेस थेटल्यूड के 12 से 14 मीटर (Koski et al. 1993) एक्स्प्रेस थेटल्यूड के 25 (Rosa et al. 2004)। एक्स्प्रेस थेटल्यूड के दोनों पक्षों पर 14 मीटर (Koski et al. 1993) एक्स्प्रेस थेटल्यूड के 3-4 (Koski et al. 1993)। एक्स्प्रेस थेटल्यूड के 4-4.5 मीटर (Koski et al. 1993) एक्स्प्रेस थेटल्यूड के 44% (Zeh et al. 1993)। एक्स्प्रेस थेटल्यूड के 44% (Zeh et al. 1993)। BCB एक्स्प्रेस थेटल्यूड के 3.4% (George et al. 2004)।

1915, 1986-Г-с, 1994-Г-с, 1996-Г-с, 1998-Г-с, 2000-Г-с, 2002-Г-с, 2005-Г-с. Структура и геология бассейна Худсона-Фокса (Hudson Bay-Foxe Basin) определены на основе геодинамического моделирования и геохимических исследований. Важнейшими геодинамическими процессами, определяющими развитие бассейна, являются субдукция и разрывные движения. Геохимические исследования показывают, что в бассейне преобладают магматические процессы, связанные с формированием гранитов и базальтов. Важной особенностью геологии бассейна является присутствие значительных запасов нефти и газа, обнаруженных в недрах региона.

▷በፌዴራል ተመርሱ የሚከተሉት ስምዎች እና የሚከተሉት ስምዎች እና

 UT

የኢትዮጵያዊያን ሌሎች

(අරුව්/රුවානු), Prince Regent Inlet (පැලද-රුවානු), පැල Hudson Strait (පෝප්පිඩ්) වැනිජන පැලප්පාන්ත්‍රීකුත් සංස්ක්‍රීයාකාරීකාරණ.

Digitized by srujanika@gmail.com

፩፻፭፻

Δμ<επ<τ Εδέσσης σύντομης 1915, τελείωσε στην περιοχή της Δαφνίας το 1900-1901, όπου αποτέλεσε την πρώτη γενική διάσπαση της Αθηναϊκής επαρχίας (DIAND 1993), οπότε η περιοχή αποτελείται από μεγάλη ποσότητα αρχαιολογικών θέσεων.

ዚያወጥ አዲስ

Angliss, R.P. and K.L. Lodge. 2004. Alaska marine mammal stock assessments, 2003. U.S. Dep. Commer., NOAA Tech. Memo. NMFSAFSC-144, 230 pp.

Alvarez-Flores, C.M. 2006. Evaluating the effect of alternate harvest scenarios on the recovery of bowhead whales, *Balaena mysticetus*, in the eastern Canadian Arctic. DFO Can. Sci. Advis. Sec. Res. Doc. 2006/054.

Cosens, S.E. and A. Blouw. 2003. Size- and Age-class segregation of bowhead whales summering in northern Foxe Basin: A photogrammetric analysis. *Marine Mammal Science* 19: 284-296.

Cosens, S.E., H. Cleator, P. Richard. 2006. Numbers of bowhead whales (*Balaena mysticetus*) in the eastern Canadian Arctic, based on aerial surveys in August 2002, 2003 and 2004. DFO Can. Sci. Advis. Sec. Res. Doc. 2006/052.

COSEWIC. 2005. COSEWIC assessment and update status report on the bowhead whale *Balaena mysticetus* in Canada. Committee on the Status of Endangered Wildlife in Canada, Ottawa. viii + 51 pp.

DIAND. 1993. Agreement between the Inuit of the Nunavut settlement area and her Majesty the Queen in right of Canada. Ottawa: DIAND and Tungavik. 282 pp.

DFO, 2005. Recovery potential assessment of Cumberland Sound, Ungava Bay, Eastern Hudson Bay and St. Lawrence beluga populations (*Delphinapterus leucas*). DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2005/036.

DFO, 2005b. Proceedings of the meeting on recovery potential assessment of Cumberland Sound, Ungava Bay, Eastern Hudson Bay and St. Lawrence beluga populations (*Delphinapterus leucas*); April 5-7, 2005. DFO Can. Sci. Advis. Sec. Proceed. Ser. 2005/011.

- Dueck, L.P. and P. Richard. 2006. Assessment of the recovery potential of the eastern Canadian Arctic bowhead whale population by deterministic projections with a modified logistic growth model. DFO Can. Sci. Advis. Sec. Res. Doc. 2006/053.
- Dueck, L.P., M.P. Heide-Jørgensen, M.V. Jensen, and L.D. Postma. 2006. Update on investigations of bowhead whale (*Balaena mysticetus*) movements in the eastern Arctic, 2003-2005, based on satellite-linked telemetry. DFO Can. Sci. Advis. Sec. Res. Doc. 2006/050.
- George, J.C., J. Bada, J. Zeh, L. Scott, S.E. Brown, T. O'Hara, and R. Suydam. 1999. Age and growth estimates of bowhead whales (*Balaena mysticetus*) via aspartic acid racemization. Can. J. Zool. 77: 571-580.
- George, J.C., J. Zeh, R. Suydam, and C. Clark. 2004. Abundance and population trend (1978-2001) of western Arctic bowhead whales surveyed near Barrow, Alaska. Mar. Mamm. Sci. 20(4):755-773.
- Gerrodet, T. 1993. Trends: software for a power analysis of linear regression. Wildlife Society Bulletin 21:515-516.
- Heide-Jørgensen, M.P., K.L. Laidre, Ø. Wiig, M.V. Jensen, L. Dueck, L.D. Maiers, H.C. Schmidt and R.C. Hobbs. 2003. From Greenland to Canada in ten days: tracks of bowhead whales, *Balaena mysticetus*, across Baffin Bay. Arctic 56(1):21-31.
- Heide-Jørgensen, M.P., K.L. Laidre, M.V. Jensen, L. Dueck, L.D. Postma. 2006. Dissolving stock discreteness with satellite tracking: bowhead whales in Baffin Bay. Mar. Mamm. Sci. 22(1): 34-45.
- Koski, W.R., R.A. Davis, G.W. Miller and D.E. Withrow. 1993. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 239-274. Soc. Mar. Mamm. Spec. Publ. 2.
- Koski, W.R., M.P. Heide-Jørgensen, K.L. Laidre. 2006. Winter abundance of bowhead whales, *Balaena mysticetus*, in the Hudson Strait, March 1981. J. Cetacean Res. Manage. 8(2): 139-144.
- Montague, J.J. 1993. Introduction. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 1-21. Soc. Mar. Mamm. Spec. Publ. 2.
- Nerini, M.K., H.W. Braham, W.M. Marquette, and D.J. Rugh. 1984. Life history of the bowhead whale (Mammalia, Cetacea). J. Zool. (London) 204: 443-468.
- Postma, L.D., L.P. Dueck, M.P. Heide-Jørgensen, and S.E. Cossens. 2006. Molecular genetic support of a single population of bowhead whales (*Balaena mysticetus*) in Eastern Canadian Arctic and Western Greenland waters. DFO Can. Sci. Advis. Sec. Res. Doc. 2006/051.
- Rosa, C., J.C. George, J. Zeh, O. Botta, M. Zauscher, J. Bada and T.M. O'Hara. 2004. Update on age estimation of bowhead whales (*Balaena mysticetus*) using aspartic acid racemization. IWC/SC/56/BRG6.

- Schell, D.M. and S.M. Saupe. 1993. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 491-509. Soc. Mar. Mamm. Spec. Publ. 2.
- Wade, P.R., and R. Angliss. 1997. Guidelines for assessing marine mammal stocks: report of the GAMMS workshop April 3-5, 1996, Seattle, Washington. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-OPR-12, 93 pp.
- Weintraub, B. 1996. Harpoon blades point to long-lived whales (March Geographica). National Geographic Society, 1145 17th St. NW, Washington, D.C. 20036.
- Woodby, D.A., and D.B. Botkin. 1993. Stock sizes prior to commercial whaling. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 387-407. Soc. Mar. Mamm. Spec. Publ. 2.
- Zeh, J.E., C.W. Clark, J.C. George, D. Withrow, G.M. Carroll, and W.R. Koski. 1993. In J.J. Burns, J.J. Montague, and C.J. Cowles (Editors), The bowhead whale, p. 409-489. Soc. Mar. Mamm. Spec. Publ. 2.

የጥቅምት መመሪያ

የጥቅምት መመሪያ: L. P. Dueck

Δሌገር ሚኒስቴር
501 University Crescent
Winnipeg, MB
R3T 2N6

ፌታዊ ሰራተኞች: (204) 983-7795

ኤሌክትሻዊ ሰራተኞች: (204) 984-2403

ኢሜል ሰራተኞች: dueckl@dfo-mpo.gc.ca

የዕስ የሚከተሉት ደንብ የሚከተሉት ደንብ:

‘የአገልግሎት ስምምነት እና የሚከተሉት ደንብ’
‘የበፌዴራል የሚገኘውን ትርጓሜ’
Δሌገር ሚኒስቴር
501 University Crescent,
Winnipeg, Manitoba, Canada
R3T 2N6

ፌታዊ ሰራተኞች: (204) 983-5131

ኤሌክትሻዊ ሰራተኞች: (204) 984-2403

ፖ.ስታ.ካርድ: xcna-csa-cas@dfo-mpo.gc.ca

ኢሜል ሰራተኞች: www.dfo-mpo.gc.ca/csas

ISSN 1481-9260 (Printed)

© Her Majesty the Queen in Right of Canada, 2008

La version française est disponible à l'adresse ci-dessus.



የጥቅምት መመሪያ አገልግሎት ስምምነት እና የሚከተሉት ደንብ

DFO. 2008. Recovery Potential - Allowable Harm Assessment of eastern Arctic bowhead whales (*Balaena mysticetus*). DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2007/024.