Qikiqtaaluk Regional Wildlife Priorities (2023-2025)

ᕿᑭᖅᑖᓗᒃᒥ ᐆᒪᔪᑦ ᓯᕗᓪᓕᐅᑎᕐᑯᔭᑦ (2023-2025)

| **#1 Wildlife Priorities**<br>**ᐆᒪᔪᑦ ᓯᕗᓪᓕᐅᑎᕐᑯᔭᑦ** | |
|---|---|
| 1A | Health, disease and contaminant studies of the following species, including but not limited to aspects that may affect Inuit when eaten: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, waterfowl, or ptarmigan<br><br>ᖃᓄᐃᓐᓂᖏᓐᓂ, ᐋᓐᓂᐊᕈᑎᖃᕐᓂᖏᓐᓂ ᐊᒻᒪᓗ ᓱᕈᕐᓇᖅᑐᓕᖕᓃᖃᑕᕐᒪᖔᑕ ᖃᐅᔨᓴᖅᑕᐅᓗᑎᒃ ᐅᑯᐊ, ᑖᒃᑯᐊᑑᖏᒻᒥᔫᒐᓗᐊᑦ, ᐃᓄᐃᑦ ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᓐᓄᑦ ᓂᕿᒋᔭᐅᕙᖏᓐᓂᖏᓐᓂ. ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᕐᑯᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ-reindeer), ᐃᖃᓗᒃᐲᑦ, ᑐᒐᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᕖᑦ, ᐃᒪᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓃᑦ ᐊᕿᒡᒋᑦ. |
| 1B | Population[1] and ecology[2] studies of the following species using Inuit Qaujimajatuqangit: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, waterfowl, or ptarmigan.<br><br>ᐆᒪᔪᐃᑦ ᐊᒥᓱᓂᖏᑦ[1] ᐊᒻᒪᓗ ᐊᕙᑎᖏᑦ, ᐊᕙᑎᒥᐅᑕᐅᓂᖏᓗ[2] ᖃᐅᔨᓴᖅᑕᐅᓂᖏᑦ ᒪᑯᓂᖓ ᐊᑐᕐᓗᑎᒃ ᐃᓄᐃᑦ ᖃᐅᔨᒪᔭᑐᖃᖏᓐᓂᒃ: ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᕐᑯᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ, ᐃᖃᓗᒃᐲᑦ, ᑐᒐᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᕖᑦ, ᐃᒪᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓃᑦ ᐊᕿᒡᒋᑦ. |
| 1C | Polar bear-human interactions and conflicts<br><br>ᓇᓄᐃᑦ - ᐃᓄᐃᓪᓗ ᐊᑕᐅᓯᕐᒦᓕᖃᑕᕐᓂᖏᑦ ᓈᒻᒪᒍᓃᕈᑕᐅᕙᒃᑐᓪᓗ |

| **#2 Wildlife Priorities**<br>**ᐆᒪᔪᑦ ᓯᕗᓪᓕᐅᑎᕐᑯᔭᑦ** | |
|---|---|
| 2A | Health, disease and contaminant studies of the following species, including but not limited to aspects that may affect Inuit when eaten: muskoxen, bowhead whales, killer whales, or seabirds<br><br>ᖃᓄᐃᓐᓂᖏᓐᓂ, ᐋᓐᓂᐊᕈᑎᖃᕐᓂᖏᓐᓂ ᐊᒻᒪᓗ ᓱᕈᕐᓇᖅᑐᓕᖕᓃᖃᑕᕐᒪᖔᑕ ᖃᐅᔨᓴᖅᑕᐅᓗᑎᒃ ᐅᑯᐊ, ᑖᒃᑯᐊᑑᖏᒻᒥᔫᒐᓗᐊᑦ, ᐃᓄᐃᑦ ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᓐᓄᑦ ᓂᕿᒋᔭᐅᕙᖏᓐᓂᖏᓐᓂ.: ᐅᒥᖕᒪᐃᑦ, ᐊᕐᕖᑦ, ᐋᕐᓗᐃᑦ ᐅᕝᕙᓗᓐᓃᑦ ᑕᕆᐅᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ |
| 2B | Population[1] and ecology[2] studies of the following species using Inuit Qaujimajatuqangit: muskoxen, bowhead whales, killer whales, seabirds, or species-at-risk. |

[1] Population studies include but are not limited to subjects such as: population abundance, distribution, seasonal migrations, emigration, immigration, sex and age composition, and natural or found mortalities.
[2] Ecology studies include but are not limited to subjects such as: herbivore – forage, predator-prey, competitive and intraspecific relationships (e.g., lichen abundance related to caribou, eider depredation by polar bears), and characterization of key habitats.

| | |
|---|---|
| | ᐆᒪᔪᐃᑦ ᐊᒥᓱᓂᖏᑦ[1] ᐊᒻᒪᓗ ᐊᕙᑎᖏᑦ, ᐊᕙᑎᒥᐅᑕᐅᓂᖏᓗ[2] ᖃᐅᔨᓴᖅᑕᐅᓂᖏᑦ ᒪᑯᓂᖓ ᐊᑐᕐᓗᑎᒃ ᐃᓄᐃᑦ ᖃᐅᔨᒪᔭᑐᖃᖏᓐᓂᒃ: ᐅᒥᖕᒪᐃᑦ, ᐊᕐᕕᑦ, ᐋᕐᓗᐃᑦ, ᑕᕆᐅᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐆᒪᔪᐃᑦ-ᐊᒥᓲᖏᓗᐊᓕᐊᖅᑐ. |
| 2C | Industrial impacts on the following species, including but not limited to shipping, mining, linear developments, wind turbines and ship ballast and wastewater: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, waterfowl, or ptarmigan<br><br>ᓴᓇᕕᐊᓗᖕᓄᑦ ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᑕᒪᒃᑯᐊ ᐆᒪᔪᐃᑦ, ᑕᒪᒃᑯᐊᑑᕙᖏᒻᒥᔫᓗᐊᑦ ᐅᒥᐊᕐᔪᐊᖃᕐᓂᕐᒧᑦ, ᐅᔭᕋᖕᓂᐊᕐᕕᖕᓄᑦ, ᑐᑭᒧᐊᖕᓂᐊᖅᑐᓂᒃ ᓴᓇᔭᐅᕙᓪᓕᐊᔪᓄᑦ ᐊᖏᔫᑎᓂᒃ, ᐊᓄᓇᑐᖅᑐᓂᒃ ᐅᒻᒪᕐᑯᓯᐅᕈᑎᓂᒃ, ᐅᒥᐊᕐᔪᐊᕐᒥᖕᒫᖅᑐᓂᒃ ᐃᒪᕐᓗᑯᐃᑦ ᑯᕕᔭᐅᕙᖕᓂᖏᓐᓂᒃ ᐊᒻᒪᓗ ᐊᒃᑕᑯᓂᒃ ᐃᒪᕐᓗᑯᓂᒃ: ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᕐᑯᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ, ᐃᖃᓗᒃᐲᑦ, ᑐᒫᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᕕᑦ, ᐃᒪᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓃᑦ ᐊᕿᒡᒋᑦ. |
| 2D | Population[1] and ecology[2] studies of the following species using samples collected during normal harvesting by Inuit, non-invasive methods (e.g., genetic analyses of fecal samples) and ground observations: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, waterfowl, or ptarmigan<br><br>ᐆᒪᔪᐃᑦ ᐊᒥᓱᓂᖏᑦ[1] ᐊᒻᒪᓗ ᐊᕙᑎᖏᑦ, ᐊᕙᑎᒥᐅᑕᐅᓂᖏᓗ[2] ᒪᑯᓂᖓ ᐆᒪᔪᓂᒃ ᖃᐅᔨᓴᒐᑦᓴᓂᒃ ᐱᖃᑦᑕᕐᓗᑎᒃ ᐊᖑᓇᓱᒋᐊᖅᓯᒪᓂᖏᓐᓂᒃ ᐅᑎᕈᔾᔨᖃᑕᕐᓗᑎᒃ ᐸᕝᕕᓴᓐᓇᖏᑦᑐᓂᒃ ᐊᑐᖃᑦᑕᕐᓗᑎᒃ (ᓲᕐᓗ ᑎᒥᖏᓐᓂ ᖃᐅᔨᕝᕕᐅᔪᓐᓇᖅᑐᓂᒃ ᐊᓇᖏᓐᓂᒃ) ᐊᒻᒪᓗ ᓄᓇᒦᓂᖏᓐᓂ ᑕᑯᔭᐅᖃᑕᕐᓂᖏᓐᓂ ᒪᑯᐊ ᐆᒪᔪᐃᑦ: ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᕐᑯᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ, ᐃᖃᓗᒃᐲᑦ, ᑐᒫᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᕕᑦ, ᐃᒪᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓃᑦ ᐊᕿᒡᒋᑦ. |

| #3 Wildlife Priorities<br>ᐆᒪᔪᑦ ᓱᕗᓪᓕᐅᑎᕐᑯᔭᑦ | |
|---|---|
| 3A | Industrial impacts on the following species, including but not limited to shipping, mining, linear developments, wind turbines and ship ballast and wastewater: muskoxen, bowhead whales, killer whales, seabirds, or species-at-risk.<br><br>ᓴᓇᕕᐊᓗᖕᓄᑦ ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᑕᒪᒃᑯᐊ ᐆᒪᔪᐃᑦ, ᑕᒪᒃᑯᐊᑑᕙᖏᒻᒥᔫᓗᐊᑦ ᐅᒥᐊᕐᔪᐊᖃᕐᓂᕐᒧᑦ, ᐅᔭᕋᖕᓂᐊᕐᕕᖕᓄᑦ, ᑐᑭᒧᐊᖕᓂᐊᖅᑐᓂᒃ ᓴᓇᔭᐅᕙᓪᓕᐊᔪᓄᑦ ᐊᖏᔫᑎᓂᒃ, ᐊᓄᓇᑐᖅᑐᓂᒃ ᐅᒻᒪᕐᑯᓯᐅᕈᑎᓂᒃ, ᐅᒥᐊᕐᔪᐊᕐᒥᖕᒫᖅᑐᓂᒃ ᐃᒪᕐᓗᑯᐃᑦ ᑯᕕᔭᐅᕙᖕᓂᖏᓐᓂᒃ ᐊᒻᒪᓗ ᐊᒃᑕᑯᓂᒃ ᐃᒪᕐᓗᑯᓂᒃ: ᐅᒥᖕᒪᐃᑦ, ᐊᕐᕕᑦ, ᐋᕐᓗᐃᑦ, ᑕᕆᐅᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐆᒪᔪᐃᑦ-ᐊᒥᓲᖏᓗᐊᓕᐊᖅᑐᑦ. |
| 3B | Impacts of climate change on the following species: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, waterfowl, or ptarmigan<br><br>ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᓯᓚᐅᑉ ᐊᓯᔾᔨᖅᐸᓪᓕᐊᓂᖓᓄᑦ ᒪᑯᐊ ᐆᒪᔪᐃᑦ: ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᕐᑯᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ, ᐃᖃᓗᒃᐲᑦ, ᑐᒫᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᕕᑦ, ᐃᒪᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓃᑦ ᐊᕿᒡᒋᑦ. |

| | |
|---|---|
| 3C | Population[1] and ecology[2] studies of the following species using samples collected during normal harvesting by Inuit, non-invasive methods (e.g., genetic analyses of fecal samples) and ground observations: muskoxen, bowhead whales, killer whales, or seabirds or species-at-risk.<br><br>ᐆᒪᔪᐃᑦ ᐊᒥᓱᓂᖏᑦ[1] ᐊᕙᑎᖏᑦ, ᐊᕙᑎᒥᐅᑕᐅᓂᖏᓗ[2] ᒪᑯᓂᖓ ᐆᒪᔪᓂᖔᖅᑐᓂᒃ ᖃᐅᔨᓴᒐᑦᓴᓂᒃ ᐱᖃᑦᑕᕐᓗᑎᒃ ᐃᓄᐃᑦ ᐊᖑᓇᓱᒋᐊᖅᓯᒪᓂᖏᓐᓂᒃ ᐅᑎᕈᔾᔨᖃᑕᕐᓗᑎᒃ ᐸᕝᕕᓴᓐᓇᖏᑦᑐᓂᒃ ᐊᑐᖃᑦᑕᕐᓗᑎᒃ (ᓲᕐᓗ ᑎᒥᖏᓐᓂ ᖃᐅᔨᕝᕕᐅᔪᓐᓇᖅᑐᓂᒃ ᐊᓇᖏᓐᓂᒃ) ᐊᒻᒪᓗ ᓄᓇᒦᓂᖏᓐᓂ ᑕᑯᔭᐅᖃᑕᕐᓂᖏᓐᓂ ᒪᑯᐊ ᐆᒪᔪᐃᑦ: ᐊᒻᒪᓗ ᓄᓇᒦᓂᖏᓐᓂ ᑕᑯᔭᐅᖃᑕᕐᓂᖏᓐᓂ.: ᐅᒥᖓᐃᑦ, ᐊᕐᕕᑦ, ᐋᕐᓗᐃᑦ ᐅᕝᕙᓗᓐᓃᑦ ᑕᕆᐅᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐆᒪᔪᐃᑦ-ᐊᒥᓲᖏᓗᐊᓕᐊᖅᑐ. |
| 3D | Harvest reporting and impacts of harvest management strategies and tactics on Inuit for the following species: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, muskoxen, or bowhead whales.<br><br>ᐊᖑᓇᓱᒃᑕᐅᕙᓐᓂᖏᓐᓂᒃ ᐅᓂᒃᑳᓕᐊᑦ ᐊᒻᒪᓗ ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᐊᖑᓇᓱᒃᑕᐅᔪᓐᓇᕐᓂᖏᓄᑦ ᖃᓄᐃᓕᖓᓕᕈᑕᐅᔪᓐᓇᖅᑐᑦ, ᖃᓄᐃᓕᐅᕈᑕᐅᒋᐊᕈᓐᓇᕐᓂᖏᓪᓗ ᐃᓄᖕᓄᑦ ᒪᑯᓂᖓ ᐱᔾᔪᑎᖃᖅᑐᓂᒃ ᐆᒪᔪᓂᒃ: ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᖁᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ, ᐃᖃᓗᒃᐲᑦ, ᑐᒐᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᕕᑦ, ᐅᒥᖓᐃᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐊᕐᕕᑦ. |

| #4 Wildlife Priorities<br>ᐆᒪᔪᑦ ᓯᕗᓪᓕᐅᑎᕐᑯᔭᑦ | |
|---|---|
| 4A | Industrial impacts on the following species, including but not limited to shipping, mining, linear developments, wind turbines and ship ballast and wastewater: muskoxen, bowhead whales, killer whales, seabirds, or species-at-risk.<br><br>ᓴᓇᕕᐊᓗᖕᓄᑦ ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᑕᒪᒃᑯᐊ ᐆᒪᔪᐃᑦ, ᑕᒪᒃᑯᐊᑑᕙᖏᒻᒥᔫᓗᐊᑦ ᐅᒥᐊᕐᔪᐊᖃᕐᓂᕐᒧᑦ, ᐅᔭᕋᖕᓂᐊᕐᕕᖕᓄᑦ, ᑐᑭᒧᐊᖕᓂᐊᖅᑐᓂᒃ ᓴᓇᔭᐅᕙᓪᓕᐊᔪᓄᑦ ᐊᖏᔫᑎᓂᒃ, ᐊᓄᑎᑐᖅᑐᓂᒃ ᐅᒻᒪᕐᑯᓯᐅᕈᑎᓄᑦ, ᐅᒥᐊᕐᔪᐊᕐᒥᖔᖅᑐᓂᒃ ᐃᒪᕐᓗᑯᐃᑦ ᑯᕕᔭᐅᕙᖕᓂᖏᓐᓄᑦ ᐊᒻᒪᓗ ᐊᒃᑕᑯᓂᒃ ᐃᒪᕐᓗᑯᓂᒃ: ᐅᒥᖓᐃᑦ, ᐊᕐᕕᑦ, ᐋᕐᓗᐃᑦ, ᑕᕆᐅᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐆᒪᔪᐃᑦ-ᐊᒥᓲᖏᓗᐊᓕᐊᖅᑐ. |
| 4B | Impacts of climate change on the following species: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, waterfowl or ptarmigan, including their prey, and forage (e.g., local shrimp populations).<br><br>ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᓯᓚᐅᑉ ᐊᓯᔾᔨᖅᐸᓪᓕᐊᓂᖓᓄᑦ ᒪᑯᐊ ᐆᒪᔪᐃᑦ: ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᖁᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ, ᐃᖃᓗᒃᐲᑦ, ᑐᒐᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᕕᑦ, ᐃᒪᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐊᕿᒡᒋᑦ ᑕᐃᑯᐊᓗ ᐆᒪᔪᐃᑦ ᓂᕿᒃᓴᖅᓯᐅᖅᐸᑦᑐᑦ ᑕᒪᒃᑯᓂᖓ ᐊᒻᒪᓗ ᓇᓂ ᐱᑕᖃᓲᖑᓂᖏᓐᓂ ᓇᓂ ᐱᑕᖃᓲᖑᓂᖏᓐᓂ ᐊᒻᒪᓗ ᓂᕿᒃᓴᖃᕐᕕᒋᕙᒃᑕᖏᓐᓂ (ᓲᕐᓗ ᓄᓇᕗᒻᒥ ᑭᖑᒃᐸᖃᕐᕕᐅᕙᒃᑐᑦ). |
| 4C | Population[1] and ecology[2] studies of the following species using aerial surveys: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, waterfowl, or ptarmigan |

| | |
|---|---|
| | ᐆᒪᔪᐃᑦ ᐊᒥᓱᓂᖏᑦ[1] ᐊᒻᒪᓗ ᐊᕙᑎᖏᑦ, ᐊᕙᑎᒥᐅᑕᐅᓂᖏᓗ[2] ᖃᐅᔨᓴᖅᑕᐅᕙᓐᓂᖏᓐᓂᒃ ᖃᖓᑕᔫᒃᑯᑦ: ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᖁᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ, ᐃᖃᓗᒃᐲᑦ, ᑐᒫᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᓈᑦ, ᐃᒪᕐᒥᐅᑕᐃᑦ ᑎᖏᐊᑦ ᐅᕝᕙᓗᓐᓃᑦ ᐊᕿᒻᒋᑦ. |
| 4D | Impacts and clean-up of past and current wildlife and environmental research.<br>ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᐊᒻᒪᓗ ᓴᓗᒻᒪᖅᓴᖅᑕᐅᖃᑦᑕᖅᓯᒪᓂᖏᑦ ᖃᖓᓴᐅᓕᖅᑐᖅ ᒫᓐᓇᐅᓕᖅᑐᕐᓗ ᐆᒪᔪᐃᑦ ᐊᕙᑎᖏᓪᓗ ᖃᐅᔨᓴᕐᕕᐅᖃᑕᕐᓂᖏᑦ. |
| 4E | Harvest reporting and impacts of harvest management strategies and tactics on Inuit for the following species: killer whales, seabirds, or species-at-risk.<br>ᐊᖑᓇᓱᒃᑕᐅᕙᓐᓂᖏᓐᓂᒃ ᐅᓂᒃᑳᓕᐊᑦ ᐊᒻᒪᓗ ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᐊᖑᓇᓱᒃᑕᐅᔪᓐᓇᕐᓂᖏᓄᑦ ᖃᓄᐃᓕᖓᓕᕈᑕᐅᔪᓐᓇᖅᑐᑦ, ᖃᓄᐃᓕᐅᕈᑕᐅᒋᐊᕈᓐᓇᕐᓂᖏᓪᓗ ᐃᓄᖕᓄᑦ ᒪᑯᓂᖓ ᐱᔾᔪᑎᖃᖅᑐᓂᒃ ᐆᒪᔪᓂᒃ: ᐅᒥᖕᒪᐃᑦ, ᐊᕐᕕᑦ, ᐋᕐᓗᐃᑦ, ᑕᕆᐅᕐᒥᐅᑕᐃᑦ ᑎᖏᐊᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐆᒪᔪᐃᑦ-ᐊᒥᓲᖏᓗᐊᓕᐊᖅᑐᑦ. |

| #5 Wildlife Priorities<br>ᐆᒪᔪᑦ ᓱᕗᓪᓕᐅᑎᕐᑯᔭᑦ | |
|---|---|
| 5A | Impacts of climate change on the following species: muskoxen, bowhead whales, killer whales, seabirds or species-at-risk, including their prey and forage (e.g., local shrimp populations).<br>ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᓯᓚᐅᑉ ᐊᓯᔾᔨᖅᐸᓪᓕᐊᓂᖓᓄᑦ ᒪᑯᐊ ᐆᒪᔪᐃᑦ: ᐅᒥᖕᒪᐃᑦ, ᐊᕐᕕᑦ, ᐋᕐᓗᐃᑦ, ᑕᕆᐅᕐᒥᐅᑕᐃᑦ ᑎᖏᐊᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐆᒪᔪᐃᑦ-ᐊᒥᓲᖏᓗᐊᓕᐊᖅᑐᑦ, ᑕᐃᑯᐊᓗ ᐆᒪᔪᐃᑦ ᓂᕿᒃᓴᖅᓯᐅᖅᐸᑦᑐᑦ ᑕᒪᒃᑯᓂᖓ ᐊᒻᒪᓗ ᓇᓂ ᐱᑕᖃᓲᖑᓂᖏᓐᓂ ᐊᒻᒪᓗ ᓂᕿᒃᓴᖃᕐᕕᒋᕙᒃᑕᖏᓐᓂ (ᓲᕐᓗ ᓄᓇᕗᒻᒥ ᑭᖑᒃᐸᖃᕐᕕᐅᕙᒃᑐᑦ). |
| 5B | Population[1] and ecology[2] studies of the following species using aerial surveys: muskoxen, bowhead whales, killer whales, seabirds, or species-at-risk.<br>ᐆᒪᔪᐃᑦ ᐊᒥᓱᓂᖏᑦ[1] ᐊᒻᒪᓗ ᐊᕙᑎᖏᑦ, ᐊᕙᑎᒥᐅᑕᐅᓂᖏᓗ[2] ᖃᐅᔨᓴᖅᑕᐅᕙᓐᓂᖏᓐᓂᒃ ᖃᖓᑕᔫᒃᑯᑦ: ᐅᒥᖕᒪᐃᑦ, ᐊᕐᕕᑦ, ᐋᕐᓗᐃᑦ, ᑕᕆᐅᕐᒥᐅᑕᐃᑦ ᑎᖏᐊᑦ ᐅᕝᕙᓗᓐᓂᑦ ᐆᒪᔪᐃᑦ-ᐊᒥᓲᖏᓗᐊᓕᐊᖅᑐᑦ. |
| 5C | Exploratory/emerging fisheries for species other than arctic char (e.g., greenland halibut, northern shrimp).<br>ᑐᑭᓯᔭᐅᓇᓱᐊᕐᓂᕐᒧᑦ/ᓴᕿᑉᐸᓪᓕᐊᓂᖏᑦ ᐃᒪᒃᒥᐅᑕᐃᑦ ᐱᓇᓱᐊᖅᑕᐅᕈᓐᓇᕐᓂᖏᑦ ᐊᓯᖏᔭᖏᑦ ᐃᖃᓗᒃᐲᑦ (ᐆᒃᑐᑎᒋᓗᒍ ᓇᑖᕐᓇᐃᑦ/ᖃᓕᕋᓖᑦ, ᐅᑭᐅᖅᑕᖅᑐᒥ ᑭᖑᒃᐸᐃᑦ). |

| #6 Wildlife Priorities<br>ᐆᒪᔪᑦ ᓱᕗᓪᓕᐅᑎᕐᑯᔭᑦ | |
|---|---|
| 6A | Population[1], ecology[2], health, disease, contaminants and management studies, of ravens. |

| | |
|---|---|
| | ᐆᒪᔪᐃᑦ ᐊᒥᓱᓂᖏᑦ[1] ᐊᒻᒪᓗ ᐊᕙᑎᖏᑦ, ᐊᕙᑎᒥᐅᑕᐅᓂᖏᓗ2, ᖃᓄᐃᓂᖏᓐᓂ, ᐊᓐᓂᐊᕈᑎᖃᕈᓇᕐᓂᖏᑦ, ᓱᕈᕐᓇᖅᑐᓕᖕᓃᖃᑕᕐᓂᖏᑦ ᐊᐅᓚᑕᐅᔪᓐᓇᕐᓂᖏᓪᓗ ᖃᐅᔨᓴᕈᑎᒃᓴᐃᑦ ᑐᓗᒐᕐᓂᒃ. |
| 6B | Impacts of invasive species on the following species: polar bears, caribou, reindeer, arctic char, narwhal, beluga, seals, walrus, waterfowl, or ptarmigan<br>ᐊᒃᑐᖅᑕᐅᓯᒪᔪᓐᓇᕐᓂᖏᑦ ᓄᖑᑦᑎᕙᓪᓕᐊᖕᒐᕈᓐᓇᖅᑐᑦ ᓄᑖᑦ ᐆᒪᔪᐃᑦ ᐱᑕᖃᓕᕈᑎᒃ ᒪᑯᓂᖓ ᐊᒃᑐᐃᓗᑎᒃ ᐆᒪᔪᓂᒃ: ᓇᓄᐃᑦ, ᑐᒃᑐᐃᑦ, ᖁᓐᖏᑦ/ᑐᒃᑐᐊᐲᑦ, ᐃᖃᓗᒃᐲᑦ, ᑐᒐᓖᑦ, ᕿᓇᓗᒐᐃᑦ, ᓇᑦᑏᑦ, ᐊᐃᕖᑦ, ᐃᒪᕐᒥᐅᑕᐃᑦ ᑎᖕᒥᐊᑦ ᐅᕝᕙᓗᓐᓃᑦ ᐊᕿᒡᒋᑦ. |
| 6C | Population[1] studies of shorebirds<br>ᐆᒪᔪᐃᑦ ᐊᒥᓱᓂᖏᑦ[1] ᖃᐅᔨᓴᖅᑕᐅᓂᖏᑦ ᓯᒡᔭᒃᔭᖅᐸᓯᐅᓂᕐᒥᓲᑦ ᑎᖕᒥᐊᑦ |

| Tier | Description |
|---|---|
| 0 | Any research involving the live-handling, capture, collaring and tagging of wildlife by humans, or killing of wildlife for collection of samples mainly for research purposes.<br>ᐊᑐᖅᑕᐅᔭᕆᐊᖃᓐᖏᑐᑦ ᐊᐅᓚᑕᐅᕙᓐᓂᖏᑦ ᐆᒪᔪᐃᑦ, ᑎᒍᔭᐅᕙᓐᓂᖏᓐᓂ, ᖁᖓᓯᕈᑦᑎᖅᑕᐅᕙᓐᓂᖏᓐᓂ ᐊᒻᒪᓗ ᐃᓕᓯᕝᕕᐅᕙᓐᓂᖏᑦ ᒪᓕᒍᑎᓂᒃ ᐆᒪᔪᐃᑦ ᐅᕝᕙᓗᓐᓃᑦ ᐆᒪᔪᐃᑦ ᑐᖁᑕᐅᕙᓐᓂᖏᑦ ᐱᔾᔪᑕᐅᓗᑎᒃ ᑲᑎᖅᓱᐃᕝᕕᐅᔪᒪᓂᖅ ᖃᐅᔨᓴᒐᑦᓴᓂᒃ ᐱᓗᐊᖅᑐᒥᒃ ᖃᐅᔨᓴᖅᑕᐅᔪᒪᓂᖏᓐᓄᑦ ᑐᕋᖓᔪᓂᒃ. |