



ხალგრ დასახურები დასახურები ართონი ართონი ართონი ართონი ართონი

ΟΥΑΝ 2015

4. σናስ ሰነድ በትክክል የሚከተሉ የዚህ የወጪ የሚያሳይ

1. ማኅበርና በርሃንስ ማኅበርና ማኅበርና
 2. ማኅበርና በርሃንስ ማኅበርና ማኅበርና
 3. የዚህ ማኅበርና ማኅበርና
 4. የዚህ ማኅበርና ማኅበርና

“ოცხას სიცის კი” ჩადრენ ცდას ხდის მა უბის გრძელებული მა სიცის
დროს სიცის კი და მა უბის გრძელებული მა სიცის კი და მა უბის გრძელებული მა სიცის

5. ▷በ“በርሃም” ልማት አገልግሎት ለመተዳደሪያ የሚከተሉ ተወስኗል፡፡

ΔСЕРДРС 1: бУЛДАГД АСАД СЕРДРС
[\(\[http://www.cosewic.gc.ca/eng/sct2/sct2_4_e.cfm\]\(http://www.cosewic.gc.ca/eng/sct2/sct2_4_e.cfm\)\)](http://www.cosewic.gc.ca/eng/sct2/sct2_4_e.cfm)

Δευτέρας 2: Οποιαδήποτε πληρωμή που δεν είναι σύμφωνη με την αρχική σύμβαση θα είναι αναγνωρίζονται ως απόποιηση.

▷⁹b<▷^c: 867-669-4783

2015-06-06



© 2015 Environment Canada
All rights reserved.

© 2015 Environment Canada

© 2015 Environment Canada

Delta-Plain Tundra: This area includes the tundra wetlands of the Mackenzie River Delta, which are characterized by shallow water, peat soils, and a mix of shrubs and grasses. The region is home to many bird species, including the Red-necked Phalarope, which breeds here.



© Bree Walpole




Red-necked Phalarope:

- The Red-necked Phalarope is a small shorebird that breeds in the Arctic tundra. In 2014, it was estimated that there were approximately 200,000 breeding pairs in the Canadian Arctic.
- The Red-necked Phalarope breeds in the tundra wetlands of the Mackenzie River Delta, which is located in the Northwest Territories. The region is characterized by shallow water, peat soils, and a mix of shrubs and grasses. The Red-necked Phalarope feeds on small aquatic invertebrates, such as copepods and amphipods, which it catches by diving into the water.
- The Red-necked Phalarope is a long-distance migrant, traveling from its Arctic breeding grounds to South America for the winter. It has been tracked using satellite telemetry, and it has been found to travel over 10,000 km in a single migration cycle.
- The Red-necked Phalarope is a threatened species in the Canadian Arctic. Its population has declined by approximately 50% over the past 40 years, due to habitat loss and degradation, as well as changes in climate.

የኢትዮጵያውያንድ የስራ ስምምነት በኋላ

የኢትዮጵያ ብሔርራዊ ዲሞክራሲያዊ ሪፐብሊክ





Environment Canada

አዲሱኑ በዚህ የሚከተሉት ስልጊዣ መመሪያዎች የሚያሳይ

Canada

bəCΓ ▷Ldcnʌ↗↖dč

፳፻፲፯-፳፻፲፯-፭፻፲፯ ፳፻፲፯-፳፻፲፯-፭፻፲፯ የ፳፻፲፯-፳፻፲፯-፭፻፲፯
፳፻፲፯-፳፻፲፯-፭፻፲፯ የ፳፻፲፯-፳፻፲፯-፭፻፲፯

۰۶ آگوست ۲۰۱۵

ԱՐԴՅՈՒՆ ՏՎԱԿՐԱՐԸ ՏՎԱԿՐԱՐԸ ՏՎԱԿՐԱՐԸ ՏՎԱԿՐԱՐԸ ՏՎԱԿՐԱՐԸ
ՈՂՋՎԱԿՐԱՐԸ ՈՂՋՎԱԿՐԱՐԸ ՈՂՋՎԱԿՐԱՐԸ ՈՂՋՎԱԿՐԱՐԸ ՈՂՋՎԱԿՐԱՐԸ
ԱՎԱԿՐԱՐԸ ԱՎԱԿՐԱՐԸ ԱՎԱԿՐԱՐԸ ԱՎԱԿՐԱՐԸ ԱՎԱԿՐԱՐԸ

የበኩረትነዱ በበኩረቱ የሚገኘውን በቅርቡ ስራው እንደሆነ የሚያስፈልግ ይችላል፡፡

ԾԱՇԽԾՈՒՅՈՒՆԸ ԵՎ ԿՐԵՇՆԱԿԸ ՊԱՌԱՀԱՅՄ ՈՒՂԻՆԵՐԸ.

ՀԱՅՈՒԽԻԵԵԾՐՁԱԿ, ՃՐԴԵՐԻԵԵԾՐՁԱԿ ՇՔՆՃԸ ԵԿՌՈՒՐԵ ՃՐԼՐՆԸ

Δർଲ୍ଲକ୍ଷୟରେ ହେଉଥିବା ପରିମାଣରେ ଏକ ଅନୁକୂଳତାକାରୀ ବ୍ୟାପକ ବିଭାଗ ହେବାକୁ ପରିଚାରିତ କରିବାକୁ ଆବଶ୍ୟକ କରିଛି।



ΔΓΛΙΔΑ Δρά Δ>bcLSD μ<CD>/L<C α<L<CC C4P0%RC Δ<M ΔΓL>P0RσA%CA
‘P.MJL PDL&C C U0946R2RC bACG >L>C>A%<A C C4N0C C ‘b M ΔΓLL%L%
CΔdM% C U094CD>/L%b>D0L>L>M C 4D9% M σ<R0D>C0b >D0S0C>L>C0b
ΛCΔd>%C%F% ΔΓL>C%C% C U094A0b C0R0R0C% C D >E0M C <L>/>E0C% >E0
Δc>%bC>% C U094R0C% D >E0P% /PJ%R C U094A%S C <L> ‘b0C>Ld C
>E0M C U094A0b >bRdP0d>C% >E0M C.

ΛΛ%b%σ<A%F% >bc>%bP0L>M C >c C M 30M C PdCΔdAΔ C ΔΓL>L%T%
>bc>%bP0%U0C% >σ<Aσ >bc>L%M C>C>%Rσ%Rσ bACC>L%J C >bc>L%R M C
>C%<%S C.

‘P.MJL PDL C >L>C J U094C0 C >E0A0 2016 ΔΓL>L0 C U094C0 C
>σ<D>%U0R0C%<D0J C >L>C>%<A C bUL%R M C U094C0 C U094C0 C
b0%S C U094C0 C Δc% S C L> 2016%J%<.

>bc>%bP0L>M C <L>P0C% >D%:


Donna Bigelow, Species at Risk Biologist
Canadian Wildlife Service
P.O. Box 2310
Yellowknife, NT X1A 2P7
Email: Donna.Bigelow@ec.gc.ca
Phone: 867-669-4783
Fax: 867-873-6776

C<E0D>P,

>J%T%
>D>C%<A, >P>%bC% C >%σ<A%σ% U094A%
b0%<%S C <L> >P>%bC% C >E0C%<L%
>E0C>%<A C bACG - bACG σ<R0C>S%J C >A%P0D%P C



Environment
Canada Environnement
Canada



Canada

‘bñC▷ldc CdLbñc ‘b ▷Dñc س <http://www.cosewic.gc.ca/>

ԿԴԳԳ 4/ ՔԸԳԾՀԻ ՆՀՅԻ | *Phalaropus lobatus*

የኢትዮጵያውያንድ አገልግሎት የተመለከተው ስምምነት በመስጠት የሚያሳይ ይችላል፡ ዓዲስአበባ 2014 (ሙሉ)





Environment
Canada

Environnement
Canada

▷ፋ ታሮበርና ሻጭ የፋይ 867-873-6776 ሻፋስ
ፋበርድ ሻጭ የፋይ Donna.Bigelow@ec.gc.ca
ፋይ በ 2016 ዓ.ም. ሻጭ የፋይ

ԱՌԵՎՈՐՏԻ ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅՈՒՆ

◀ՂՂԸԾՈՒԿԱԾԸ ՈՈՒԳՐԵԿԱԾԸ ՈՈՒԳՐԵՐԸ ▶ՀՅԱ:

ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅՈՒՆ

ርዕስ የሚገኘውን በፊት እንደሚሸጠው ይህንን ስምምነት ነው?

የብሔሪያ የሰውን ስም እና በአዲስ አበባ የደንብ ማረጋገጫ የሚከተሉ ደንብ የሚመለከት ይችላል

□ Ճ □ ՀՅԵ ԵՐԿՈՉԵՔԱԾՔՆԱԿ, ԵԿԵԿՈՒՆԴԱԾԿԵԿՈՎԵԿ ՀԼՇԱՆ
ԿԿԿՈՉԵՔԱԾՔՆԱԿԱԼԱԿՆԱԿ.

- Δεκτικός ουρανούλαστης ήδη από Διάδοχο στην περιοχή της Κύπρου
 - Δεκτικός ουρανούλαστης ήδη από Διάδοχο στην περιοχή της Κύπρου
 - στρατιώτη, οποιούλαστης ήδη από Διάδοχο στην περιοχή της Κύπρου

የኅፌር ለተሰጠለሁ ተከታዩ ስለ ልማት ይችላል?



በበኩርሻ የተከራከሩ በፊት ስለመስጠት እንደሆነ የሚያስፈልግ ይችላል

Canada



Environment
Canada

Environnement
Canada

▷ፋ ታሸቦርጂ ስም 867- 873-6776 ስም
ፋበርሱስ ስም Donna.Bigelow@ec.gc.ca
እወጣን 2016 ዓመት አገልግሎት


የመርመሪያው ለተዘረዘሩበኝነት የሚገኘው በዚህ በቃላይ በስራው እንደሆነ የሚገኘው ይመለከታል



ՀԺԾՎԵՑՄԱՆ ԱՌԱՋՐԻ ԵՎ ԿԱՐԱՎԱՐՈՒԹՅՈՒՆ ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅՈՒՆ



የዕለቱናስትር/ልምሬኑ፡ ሰነድ ነገር በበኩረት የሚከተሉ የዕለቱናስትር የሚያስፈልግ ይችላል?



© Bree Walpole

Canada



Environment
Canada

Environnement
Canada

▷ፋ ታሸቦርጂ ስፋዊስ 867- 873-6776 ስፋር
ፋበርሱም ስፋዊስ Donna.Bigelow@ec.gc.ca
ፋወጪ 2016 ሲሆን ስፋዊስ

As a result, the *labeled* version of the model is able to learn the underlying structure of the data, while the *unlabeled* version is able to learn the specific features of the data. This allows the model to make accurate predictions even when it has never seen a particular input before.

ΔωΔ^ε Δς^ερ^εΓ^ε / Δωρ^ε Λ^ε Δβ^εγ^εΔ^ε / Δρ^εΓ^ε: Δτ^εΛ^ε ΟΠΩΣΔ^εΛ^εβ^ε Δησ^εΓ^ε
Δησ^εΔ^ε ήσ^ελ^ε < ΔωΔ^ε Δς^ερ^εΓ^ε Δωρ^ε Λ^ε Δβ^εγ^εΔ^ε Δρ^εΓ^ε Δτ^εΛ^ε ΟΠΩΣΔ^εΛ^εβ^ε
Δησ^εΔ^ε ήσ^ελ^ε Τας^ε Γ^ε, Δησ^εΔ^ε ήσ^ελ^ε Τας^ε Γ^ε?

As a result, the number of people who have been infected with the virus has increased rapidly, and the disease has spread to many countries around the world. The World Health Organization (WHO) has declared the COVID-19 pandemic a global emergency, and governments and health organizations are working to contain the spread of the virus and provide medical care to those affected.

ፈጥሃና ሰነድ በዚህ የሚከተሉት ነው፡፡



© Bree Walpole

Canada



Environment
Canada

Environnement
Canada

ԵՇԱՑԵՐՆԵՐՈՒՄ ԱՐԴՅՈՒՆՎԱՐ ՏԵՇԱՑՄԱՆ ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅՈՒՆ ԱՐԴՅՈՒՆՎԱՐ ՏԵՇԱՑՄԱՆ ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅՈՒՆ

በበኩል ደርጅነት አገልግሎት ስራውን ተስፋል ይችላል?

- Δ “በዚህ ማስታወሻውን በየሆነው የሚፈልግበትን? _____

▷▷▷ ՈՈՎՇՈՎ ՀՐՈՒՏՔՎՇՈՎ ԱԸՐՁՊՈՂԵՔՎՇՈՎ ▷ԵԵՐՄԵԿՈՎ ԷԼՎՊՈՂԵՔՎՇՈՎ ▷ՖՆ:

**Donna Bigelow, Species at Risk Biologist
Canadian Wildlife Service
P.O. Box 2310
Yellowknife, NT X1A 2P7
Email: Donna.Bigelow@ec.gc.ca
Phone: 867-669-4783
Fax: 867-873-6776**



© Bree Walpole

Canada



© Bree Walpole

Proposed Listing as Special Concern under the federal Species at Risk Act

Nunavut Wildlife Management Board Meeting December 2015 Iqaluit, NU

>Status History

The Red-necked Phalarope is a new assessment by the Committee on the Status of Endangered Wildlife in Canada (COSEWIC). It was assessed as Special Concern in November 2014.

▷σōኋር ካ▷ኋናሮ

About the Red-necked Phalarope

- ገጽጋበው ሁሉምንጻልኩ ቀረቡበው, ገዢበበው ዘመኑዎች አገልግሎት
Small shorebird with a very narrow, needle-like bill
- የሚፈጸማውን ስምምነት ይፈጸማል፡ የሚከተሉት ሰነድዎች አለመ ነው፡
Breeding season plumage: red-orange colour on its sides and base of its neck, and the remainder is blue-grey and white
- የሚፈጸማውን ስምምነት ይፈጸማል፡ የሚከተሉት ሰነድዎች አለመ ነው፡
Non-breeding plumage: white along the head, throat, breast and underparts, with dark upperparts, eye stripe and crown
- የዚሁ የዚሁ የሚከተሉት ሰነድዎች አለመ ነው
Females are more brightly coloured than males

የሚፈጸማውን ስምምነት
Breeding Plumage



© Alvan Buckley

ዚሁ የዚሁ የሚከተሉት ሰነድዎች
Male Red-necked Phalarope



© Alvan Buckley

ዚሁ የዚሁ የሚከተሉት ሰነድዎች
Female Red-necked Phalarope

▷σōኋር ካ▷ኋናሮ

About the Red-necked Phalarope

- የዚሁ የዚሁ የሚከተሉት ሰነድዎች አለመ ነው፡ የዚሁ የዚሁ የሚከተሉት ሰነድዎች
Female selects nesting sites and may mate with multiple males
- የዚሁ የዚሁ የሚከተሉት ሰነድዎች አለመ ነው፡ የዚሁ የዚሁ የሚከተሉት ሰነድዎች
Nests may contain 4 eggs, but parents do not defend their territory
- የዚሁ የዚሁ የሚከተሉት ሰነድዎች አለመ ነው፡ የዚሁ የዚሁ የሚከተሉት ሰነድዎች
Males undertake the majority of parental care, incubating the eggs after the female leaves in search of other mates
- የዚሁ የዚሁ የሚከተሉት ሰነድዎች አለመ ነው፡ የዚሁ የዚሁ የሚከተሉት ሰነድዎች
Females then group near the coast or leave the breeding grounds entirely
- የዚሁ የዚሁ የሚከተሉት ሰነድዎች አለመ ነው፡ የዚሁ የዚሁ የሚከተሉት ሰነድዎች
Males remain to tend to young



© Tyler Kydd

▷ ሚስኑ አድራሻ ማረጋገጫ

About the Red-necked Phalarope



Δσ¤š Habitat

05849

Bc > S
Breeding



▷▷▷◁◁◁

Migration

- ხულებისა და კონკურენციის გამო მათ შემოსილი არიან გადასახლების დროის განვითარების გარეშე და გადასახლების დროის განვითარების გარეშე

ᐊ▷◁◁▷◁◁ ላ▷◁◁▷◁◁ ለ▷◁◁▷◁◁ ለ▷◁◁▷◁◁

Red-necked Phalarope Range



ଓଡ଼ିଆ ଜ୍ଞାନଶଳୀ

Population Sizes and Trends

◀ርናይነበኛው ልዩ ደረሰኞችና በንግድ ጥሩ

Threats and Limiting Factors

- የብሔራዊነትና ማረጋገጫ ሲሆን አገልግሎት በመስቀል የሚያሳይ የሚያሳይ የሚያሳይ የሚያሳይ

~~ACADEMIC~~

Breeding Grounds (including those in Nunavut)



© Kevin Kordynal

ᐊᑕጀᖃᕋᒻ ᐅᒻᒪ ሌᔨᓂᒋᑦ ዜጀጀ

Threats and Limiting Factors

ᓂጀጀ ሴጀጀ

Non-Breeding Season

- ᐃጀጀ ሰጀጀ ስጀጀ መጀጀ, ሰጀጀ ሰጀጀ በጀጀ ሌጀጀ ላጀጀ ሲጀጀ ሱጀጀ ዘጀጀ
Changes in ocean temperature, salinity and currents due to climate change
- ▷ጀጀ ሰጀጀ ሴጀጀ አጀጀ ዓጀጀ ሰጀጀ ሴጀጀ ሰጀጀ ስጀጀ ሶጀጀ ሰጀጀ
▷ጀጀ ሰጀጀ
Decline in available prey at traditional staging areas and over-wintering sites
- ጀጀ የጀጀ ሰጀጀ (ጀጀ ዓጀጀ ሰጀጀ ሴጀጀ)
Disturbance (eg. Shipping traffic)
- ᐃጀጀ ሰጀጀ ሰጀጀ ሶጀጀ
Change in water quality
- ▷ጀጀ ዓጀጀ ሰጀጀ ሴጀጀ ሰጀጀ ሰጀጀ ሰጀጀ ሴጀጀ ሰጀጀ
▷ጀጀ ሰጀጀ
Red-necked Phalarope are susceptible to chronic oiling, point-source oil spills and microplastics while at sea



Environment
Canada
Environnement
Canada

Page 11

Canada
カナダ

ጀጀ ሰጀጀ ሴጀጀ ስጀጀ ሴጀጀ: ቖጀጀ ሰጀጀ

Proposed Status: Special Concern

- ▷ጀጀ ሰጀጀ ሴጀጀ ሰጀጀ ሰጀጀ ሰጀጀ ሰጀጀ
▷ጀጀ ሰጀጀ
Declined over the last 40 years in an important staging area
- ◁ጀጀ ሰጀጀ ሰጀጀ ሰጀጀ ሰጀጀ ሰጀጀ ሰጀጀ
▷ጀጀ ሰጀጀ
Overall population trends for last three generations are unknown
- ▷ጀጀ ሰጀጀ ሴጀጀ ሰጀጀ ሰጀጀ
▷ጀጀ ሰጀጀ
Habitat degradation associated with climate change a potential threat to breeding grounds
- ▷ጀጀ ሰጀጀ ሴጀጀ ሰጀጀ
▷ጀጀ ሰጀጀ
Susceptible to pollutants/oil exposure on migration and during the winter, when birds gather in large numbers on the ocean where currents concentrate pollutants



Environment
Canada
Environnement
Canada

Page 12

Canada
カナダ

ᐊᖃᖅስ՞? ແກ້ວມະນຸຍາ?

Questions? Comments?

ᑕປັບເຂົ້າບໍ່ ສົກລົງບໍລິສັດ ບໍລິຫານ:

If you would like further information please contact:

ດາ ແບ, ສົກລົງ ດັບຕົກລົງ ແລ້ວ
ບັດຕິ ແລ້ວ ລົດ
ປົກສົດ 2310
ນະຄອນ, ພຣະເຊີນ ຂ1A 2P7
ເບີນດ້ານ ດົກທຸກ : Donna.Bigelow@ec.gc.ca
ໂທ: 867-669-4783
ເວັບໄພ: 867-873-6776

Donna Bigelow, Species at Risk Biologist
Canadian Wildlife Service
P.O. Box 2310
Yellowknife, NT X1A 2P7
Email: Donna.Bigelow@ec.gc.ca
Phone: 867-669-4783
Fax: 867-873-6776



Environment
Canada

Environnement
Canada

Page 15

Canada



Management Plan for Peregrine Falcon *anatum/tundrius* in Canada – Request for NWMB approval of final document



Species at Risk Program
Canadian Wildlife Service
Iqaluit, NU
December 2015

ხელი უკავშირდება მომავალი დროის განმავლობაში.


Federal Species at Risk Act (SARA) Process: Peregrine Falcon

बूलाराजे न्यूरोडेसी असाराजा असारा
 एग्रिकॉल्चरल विल्डलाइफ बोर्ड द्वारा दर्शाव
 बैचर COSEWIC-द्वारा न्यूरोडेसी असारा असारा
 दावादारी द्वारा दर्शाव दिलाई गरिए
 अर्थात् COSEWIC द्वारा असारा असारा (2007)
 COSEWIC assessed as Special Concern
 (2007)

ԱՌԵՎՈՐԴԻ ՏԾՈՒՑԿԱՐԱՎԱՐՈՒԹՅՈՒՆ
ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅԱՆ ՏԵՍԱԿԱՐԱՎՈՒԹՅՈՒՆ
ՏԵՍԱԿԱՐԱՎՈՒԹՅՈՒՆ ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅՈՒՆ
(2012թ.)

Listed as Special Concern under SARA (2012)


Species of special concern is a wildlife species that could become threatened or endangered because of a combination of biological characteristics and identified threats



ᓇᓇጀጀ የጀጀ ማጀጀ

Management Plan

- ለጀጀ ማጀጀ አጀጀ ተጀጀ ማጀጀ የጀጀ ማጀጀ
Δጀጀ ማጀጀ
Required for species of Special Concern
- <ጀጀ ማጀጀ ማጀጀ ማጀጀ ማጀጀ
Δጀጀ ማጀጀ
Δጀጀ
Must be prepared within 3 years of listing
- Δጀጀ ማጀጀ ማጀጀ ማጀጀ
ኅ> ማጀጀ
Includes measures for the conservation of the species and its habitat
- እጀጀ ማጀጀ
ብጀጀ ማጀጀ
Prepared in consultation with wildlife management boards and Aboriginal organizations



የጀጀ ጽሑፍ የጀጀ ማጀጀ Peregrine Falcon : Description

- ፍዴስ የጀጀ ማጀጀ የጀጀ
Medium-to-large sized falcon
- ሂደብ ቀበሌ ቀበሌ ማጀጀ
Long, pointed wings
- ክድና ማጀጀ
Yellow feet



© Jeffery and Lisa-Jo van den Scott

- ሆኖ የጀጀ ማጀጀ የጀጀ
ርኅኔ ማጀጀ
ኅዴስ ማጀጀ
ኅዴስ ማጀጀ
ኅዴስ ማጀጀ
Adults head and backs are dark bluish-grey or darker, the neck and underbody are whitish with black spotting and barring



© Gordon Court

- የጀጀ ማጀጀ
የጀጀ ማጀጀ
Males and females are most easily distinguished by size.

- የጀጀ ማጀጀ
የጀጀ ማጀጀ
Females are 15 to 20% larger and are 40 to 50% heavier than males

አዲስ ከዕስ ማረጋገጫ ማረጋገጫ የሚከተሉ የሚከተሉ Reason for Designation as Special Concern



Environment Canada Environnement Canada



Page 5

አዲስ የሆኑ ማረጋገጫ

About the Peregrine Falcon



© Gordon Court




Environment Canada Environnement Canada



Page 6

鄜σσ鄜`bC`C`R` PLÁC Peregrine Falcon Range




Environment Canada Environnement Canada

Page 7

Canada

የፖ.ሪ.ግ.ና. የፌትኑን ስምምነት

Peregrine Falcon Range in Nunavut



Environment Canada Environnement Canada

Page 8

Canada

- የሃይልና ስርዓት
Pollution
 - ተዕናርዕስ እና ማረጋገጫ ይመዘኛል ስርዓት
(የብድሩ ገዢ/የብድሩ የሚሰጥ ስርዓት)
 - Use of organochlorine pesticides
(high/medium)
 - ተዕናርዕስ እና ማረጋገጫ ይመዘኛል ስርዓት
Δረሪነት ማረጋገጫ (የብድሩ የሚሰጥ ስርዓት)
 - Use of toxic chemical products (medium)
 - ፍቃድ ስርዓት
Use of biological resources
 - ለአማርኛው መሠረት ስራ ስርዓት ስልጣን ተደርግ
የሁሳ ለፈጸም ይከተሉ የሚከተሉ ስርዓት (የብድሩ የሚሰጥ ስርዓት)
 - Harvest for falconry (low)
 - ህያዊ ስርዓት ለፈጸም መሠረት ስርዓት (የብድሩ የሚሰጥ ስርዓት)
 - Poaching (low)
 - ለእቅድ ለማርካር ስርዓት
Accidental Death
 - ተዕናርዕስ ሲሆን ስርዓት ስራ ስርዓት ስልጣን ተደርግ
(የብድሩ የሚሰጥ ስርዓት)
 - Collision with infrastructure or means of transportation (low)
 - <ሁኔታው> የሃይልና ስርዓት
ቅርቡ ስርዓት
Disturbance or damage
 - ለሃይልና ስርዓት ስራ ስርዓት (የብድሩ የሚሰጥ ስርዓት)
 - Recreational activities (low)
 - የሞላ ስርዓት ሲሆን ለማርካር ስራ ስርዓት
የሚፈጸም ስራ ስርዓት (የብድሩ የሚሰጥ ስርዓት)
 - Exploration and development of natural resources (low)
 - የሚገኘው ስራ ስርዓት
ልቦኩ ለማርካር ስራ ስርዓት
የሚፈጸም ስራ ስርዓት (የብድሩ የሚሰጥ ስርዓት)
 - Renovation and maintenance of infrastructure (low)
 - ስርዓት ሲሆን ስራ ስርዓት
(ሻጠት ስርዓት)
Climate and natural disasters
 - ስርዓት ሲሆን ስራ ስርዓት (የብድሩ የሚሰጥ ስርዓት)
 - Climate change (low)



Environment Canada Environnement Canada



Page 9

To maintain the Peregrine Falcon *anatum/tundrius* population throughout its Canadian range to at least level reached in 2010 for the next 10 years following the publication of the final version of this management plan.



Environment Canada Environnement Canada



Page 10

Broad Strategies and Conservation Measures

በኢትዮጵያውያንድ ፈርማዎችና የስራውያንድ በግብር አገልግሎት የሚሸጠል፡፡

There are five general strategies identified to achieve the management objective:

የኢትዮጵያውያንድ ቤት አዲስ አበባ

Conservation Measures

There are 16 specific conservation measures proposed under the four general strategies. Some of the high priority conservation measures are:

“Եթե այդքան պահանջվում է մասնակիությունը՝ ի՞նչ է առաջարկությունը? ”

How will success be measured?

ԱՐԴՐՈՒԹՅԱՆ ՀՐԱՄԱՆԸ ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅՈՒՆ
Success of the management objective will be evaluated every five years to determine if:

Consultation Process/Results

የኢትዮጵያ ስራውን የሚከተሉ ስራውን አገልግሎት

Consultation Process/Results

Community	Organization	Responses
Wildlife Boards		
Rankin Inlet	Kivalliq Wildlife Board	
Kugaaruk	Kitikmeot Regional Wildlife Board	
IQALUIT	Qikiqtaaluk Wildlife Board	
Hunters and Trappers Organizations		
Arctic Bay	Ikajutit Hunters and Trappers Organization	
Arviat	Arviat Hunters and Trappers Organization	No concerns
Baker Lake	Baker Lake Hunters and Trappers Organization	
Bathurst Inlet	Burnside Hunters and Trappers Association	
Cambridge Bay	Ekaluktutiak Hunters and Trappers Association	
Cape Dorset	Aiviq Hunters and Trappers Organization	
Chesterfield Inlet	Aqiqiq Hunters and Trappers Organization	Indifferent; need more information
Clyde River	Nangmautaq Hunters and Trappers Organization	
Coral Harbour	Aiviit Hunters and Trappers Organization	Support the draft plan
Gjoa Haven	Gjoa Haven Hunters and Trappers Association	
Hall Beach	Hall Beach Hunters and Trappers Organization	
Igloolik	Igloolik Hunters and Trappers Organization	
IQALUIT	Amaruq Hunters and Trappers Organization	Support the draft plan
Kimmirut	Mayukalik Hunters and Trappers Organization	
Kugluktuk	Kugluktuk Hunters and Trappers Association	
Kugaaruk	Kurairojuark Hunters and Trappers Association	
Pangnirtung	Pangnirtung Hunters and Trappers Organization	
Pond Inlet	Mittimatalik Hunters and Trappers Organization	
Rankin Inlet	Aqiggiq Hunters and Trappers Organization	
Repulse Bay	Arviq Hunters and Trappers Organization	Indifferent; need more information
Sanikiluaq	Sanikiluaq Hunters and Trappers Organization	
Spence Bay	Spence Bay Hunters and Trappers Association	
Umingmaktok	Omingmaktok Hunters and Trappers Association	No comments or concerns
Whale Cove	Issasik Hunters and Trappers Organization	

የበንኩር ጽሑፍ በጥቅምት የሚያስቀርብ Request of the Board

- የዚህን ማረጋገጫ በኋላ እና የሚከተሉ ስምምነት የሚያስፈልግ ይችላል፡፡ ይህንን ማረጋገጫ የሚከተሉ ስምምነት የሚያስፈልግ ይችላል፡፡

That the NWMB considers whether or not they approve the final *Management Plan for the Peregrine Falcon in Canada* under the federal *Species at Risk Act* as per the NLCA s. 5.2.34.



© 2012 Environment Canada – Environment et Énergie Canada

Version française


Document rédigé par :

Delta Environmental Inc.

À propos de la maladie à la queue blanche des chauves-souris : La maladie à la queue blanche (MARB) est une maladie qui affecte les chauves-souris de l'espèce Myotis今 (M.今). La maladie est causée par une bactérie nommée Pseudogymnoascus destructans (PGD). Les symptômes de la MARB comprennent une perte de la peau sur la queue et les ailes, ainsi que des difficultés respiratoires et de déplacement. La maladie peut être mortelle pour les chauves-souris. Elle a été détectée pour la première fois au Québec en 2007 et s'est rapidement propagée à travers le Canada et les États-Unis.



© GNWT / A. Kelly, ENR




La maladie à la queue blanche – une maladie qui affecte les chauves-souris

Qu'est-ce que la maladie à la queue blanche ?

- La maladie à la queue blanche est une maladie qui affecte les chauves-souris de l'espèce Myotis今 (M.今). La maladie est causée par une bactérie nommée Pseudogymnoascus destructans (PGD). Les symptômes de la MARB comprennent une perte de la peau sur la queue et les ailes, ainsi que des difficultés respiratoires et de déplacement. La maladie peut être mortelle pour les chauves-souris. Elle a été détectée pour la première fois au Québec en 2007 et s'est rapidement propagée à travers le Canada et les États-Unis.
- La maladie à la queue blanche est une maladie qui affecte les chauves-souris de l'espèce Myotis今 (M.今). La maladie est causée par une bactérie nommée Pseudogymnoascus destructans (PGD). Les symptômes de la MARB comprennent une perte de la peau sur la queue et les ailes, ainsi que des difficultés respiratoires et de déplacement. La maladie peut être mortelle pour les chauves-souris. Elle a été détectée pour la première fois au Québec en 2007 et s'est rapidement propagée à travers le Canada et les États-Unis.

στοιχεία στην παραγωγή της απόδοσης. Οι παραγόμενες αποδόσεις είναι σημαντικές για την ανάπτυξη της οικονομίας.



ՀԵՂԴԱԾՆԵՐԸ ԵՐԼԱՇԾՎԸ:

መዕጣና ልዩ የሚገኘውን አገልግሎት በዚህ ደንብ የሚያስፈልግ ይችላል፡፡