Fisheries and Oceans Canada / Pêches et Océans Canada
Ecosystems and Oceans Science / Sciences des écosystèmes et des océans

ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᐊᒻᒪᓗ ᐋᓐᑎᐅᕆᔭᒥᑦ ᐊᒻᒪᓗ ᐳᕆᐊᕆᓂᑦ
ᑲᓇᑕᒥᑦ ᖃᐅᔨᓇᓱᖕᓂᕐᒧᑦ ᐅᖃᐅᔾᔨᔨᒃᑯᑦ ᑎᑎᕋᕝᕕᖓᑦ
ᖃᐅᔨᓇᓱᖕᓂᕐᒧᑦ ᐅᐸᓗᐊᓂᖅ 2022/013

ᓄᑖᙳᖅᑎᕆᓂᖅ ᖃᓄᐃᖕᒐᓂᖏᓐᓄᑦ ᓇᓗᓇᐃᖅᓯᔾᔪᑎᓄᑦ ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᑭᖑᕐᓄᑦ, *PANDALUS BOREALIS*, ᐊᒻᒪᓗ ᑕᖅᓴᓕᖕᓄᑦ ᑭᖑᕐᓄᑦ, *PANDALUS MONTAGUI*, ᐱᖓᖕᓇᒥᑦ ᐊᒻᒪᓗ ᑲᓇᖕᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓂᑦ ᐃᓂᓕᐊᓂᑦ, ᑕᖅᑮᓐᓇᕐᔪᐊᖅ (ᔭᓄᐊᕆ) 2022

ᐃᓗᓕᖏᑦ

ᑲᓇᑕᒥᑦ ᐃᖅᑲᓕᕆᔨᒃᑯᑦ ᐱᕝᕕᐅᔪᓂᒃ ᐊᐅᓚᑦᑎᔨᒃᑯᖏᑦ ᑐᔨᕋᓚᐅᖅᑐᑦ ᓄᑖᙳᖅᑎᖅᓯᒪᔪᒥᒃ ᐱᑕᖃᕐᓂᕆᓐᓄᑦ ᖃᓄᐃᖕᒐᓂᐅᔪᓂᒃ ᒪᕐᕉᒃ ᐊᔾᔨᒌᙱᑦᑐᑦ ᑭᖑᕐᓂᑦ, ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᑭᖑᖅ (*Pandalus borealis*) ᐊᒻᒪᓗ ᑕᖅᓴᓕᒃ ᑭᖑᒃ (*Pandalus montagui*), ᐱᖓᓐᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓂᑦ ᐃᓂᐅᔪᓂᑦ (WAZ) ᐊᒻᒪᓗ ᑲᓇᖕᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓂᑦ ᐃᓂᐅᔪᓂᑦ (EAZ). ᑭᖑᓪᓕᖅᐹᖅ ᐃᓂᓕᐊᓄᑦ ᐱᓕᕆᖃᑎᒋᔭᐅᔪᓄᑦ ᕿᒥᕐᕈᓂᐅᓚᐅᖅᑐᖅ (ZPR) WAZ-ᒧᑦ ᐊᒻᒪᓗ EAZ-ᒧᑦ, ᖃᐅᔨᓴᐃᓂᓗᒃᑖᖃᓚᐅᖅᑐᖅ ᐱᑕᖃᐅᕐᓂᕆᑦᑕ ᖃᓄᐃᖕᒋᓂᕆᖕᓂᒃ, ᐊᕘᓂᕕᒃ (ᕙᕗᐊᕆ) 2021-ᒥᐅᓚᐅᖅᑐᖅ (ᐃᖃᓗᓕᕆᔨᒃᑯᑦ 2021). ᐃᓗᐃᑦᑐᒃᑯᑦ ᖃᐅᔨᓴᐃᓅᑦ ᐊᒻᒪᓗ ᓄᑖᙳᖅᑎᕇᑦ ᒪᓕᒃᑐᑦ ᐋᖅᑭᐅᒪᔪᒥᒃ ᐱᓕᕆᐊᖃᕐᓂᕐᒧᑦ 2007-ᒥᑦ ᐋᖅᑭᒃᑕᐅᓚᐅᖅᑐᖅ ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᑭᖑᕐᓄᑦ ᑰᐸᕋᑐᐊᒥᑦ ᐊᒻᒪᓗ ᐅᐊᖕᓇᖅᐸᓯᖕᒥᑦ ᑲᓇᖕᓇᖅᐸᓯᖕᒥᑦ ᓯᒡᔭᖓᓂᑦ ᓂᐅᕕᙱᙵ (ᐃᖃᓗᓕᕆᔨᒃᑯᑦ 2007). ᐱᔾᔪᑕᐅᔪᖅ ᓄᑖᙳᖅᑎᕐᓂᕐᒧᑦ ᐃᓚᒋᔭᐅᔪᖅ ᐅᓂᒃᑳᓯᐅᕋᓂᒃᓯᒪᔪᓄᑦ ᐃᖃᓗᓕᕆᓂᕐᒧᑦ-ᐊᖅᑐᑐᓂᑦ ᖃᐅᔨᓴᐃᓂᕐᒥᑦ ᐊᒻᒪᓗ ᐃᖃᓗᓕᕆᓂᕐᒧᑦ ᓈᓴᐅᑎᓂᑦ/ᑎᑎᖅᖃᓂᑦ, ᐊᒻᒪᓗ ᓄᑖᑦ ᖃᐅᔨᓴᐃᓅᑦ ᐊᒻᒪᓗ ᐱᑕᖅᑕᐅᔪᓄᑦ ᓈᓴᐅᑏᑦ/ᑎᑎᖅᖃᐃᑦ 2021/22-ᒥᑦ ᐃᖃᓗᒃᓯᐅᕐᓇᒥᑦ.

ᖃᐅᔨᓇᓱᖕᓂᕐᒧᑦ ᐅᐸᓗᐊᓂᕐᒧᑦ ᐅᓂᒃᑳᖅ ᖃᓄᐃᖕᒋᓂᐅᔪᓂᒃ ᖃᐅᔨᓇᓱᖕᓂᕐᒧᑦ ᐅᐸᓗᐊᓂᕐᒧᑦ ᐱᕙᓪᓕᐊᓂᕐᒥᑦ (SRP) ᑕᖅᑮᓐᓇᕐᔪᐊᖅ (ᔭᓄᐊᕆ) 27, 2022-ᒥᑦ ᐅᐊᖕᓇᖅᐸᓯᖕᖓᓂᑦ ᐊᒻᒪᓗ ᑕᖅᓴᓖᑦ ᑭᖑᕐᓂᑦ ᑲᓇᖕᓇᒥᑦ ᐊᒻᒪᓗ ᐱᖓᖕᓇᒥᑦ ᖃᐅᔨᓴᐃᓂᕐᒧᑦ ᐃᓂᐅᔪᓂᑦ.

ᐱᒋᐊᕈᑎᕕᓂᖓ

EAZ ᐊᒻᒪᓗ WAZ (ᐊᔾᔨ B1) ᐊᑐᓕᖅᑕᐅᓚᐅᖅᑐᑦ 2011-ᒥᑦ ᖃᐅᔨᓴᐃᔾᔪᑕᐅᐸᓗᑎᒃ ᖃᓄᐃᖕᒋᓂᕆᔭᕆᑦ ᑭᖑᐃᑦ ᑭᖑᖅᓯᐅᕝᕕᐅᔪᓂᑦ (SFA) 2 ᐊᒻᒪᓗ SFA 3 (ᐃᖃᓗᓕᕆᔨᒃᑯᑦ 2011). ᑲᑎᓯᒪᔪᑦ ᑭᒡᓕᐅᔪᑦ EAZ-ᒧᑦ ᐊᒻᒪᓗ WAZ-ᒧᑦ ᐊᔾᔨᒋᔭᖓ ᑲᑎᑎᑕᐅᓂᕆᑦ ᐃᓂᐅᔪᑦ SFA-ᓄᑦ 2 ᐊᒻᒪᓗ 3 ᐊᒻᒪᓗ ᑖᑉᑯᓄᙵ ᐊᐅᓚᑦᑎᓂᕐᒧᑦ ᐊᕕᒃᓯᒪᔪᑦ ᐊᑐᓕᖅᑎᑕᐅᓚᐅᖅᑐᑦ 2013/14 ᐃᖃᓗᒃᓯᐅᕐᓇᒥᑦ.

ᒪᕐᕉᒃ ᑎᑭᑕᐅᓂᕐᒧᑦ ᓈᓴᐅᑏᑦ ᑕᐃᒪᐅᔪᑦ ᐊᑐᓂ ᖃᐅᔨᓴᐃᓂᕐᒧᑦ ᐃᓂᐅᔪᓂᑦ ᐊᒻᒪᓗ ᐆᒪᔪᓄᑦ ᑲᑎᕝᕆᒋᑦ ᐱᑕᖅᑕᐅᔪᓐᓇᖅᑐᓄᑦ (TAC) ᐊᑐᖅᑕᐅᖃᑦᑕᙱᓚᑦ. ᑎᑭᑕᐅᓂᕐᒧᑦ ᓈᓴᐅᑏᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐅᖃᐅᓯᐅᔪᓂᒃ (ᖃᐅᔾᔭᐅᔪᑦ) ᓈᓴᐅᑎᓄᑦ ᒪᓕᒃᑯᕆᑦ ᐅᖃᐅᓯᐅᔪᑦ ᐱᑕᖅᑕᐅᔪᓂᒃ ᐅᑭᐅᑉ ᐃᓗᐊᓂᑦ, ᓈᓴᐅᑎᐅᔪᓐᓇᖅᑐᖅ ᓈᓴᐅᓯᕆᔭᐅᑉᓗᓂ TAC-ᑯᑦ ᐱᔭᐅᓗᒃᑖᓚᐅᕐᓂᕆᑦᑎᑐᑦ. ᖃᐅᔨᒪᔭᐅᓕ ᑕᒪᓗᒃᑖᕐᒥᒃ ᐱᑕᖅᑕᐅᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ ᑕᑉᐱᓂ ᐅᓂᒃᑳᒥᑦᑐᑦ ᐱᔭᐅᓚᐅᖅᑐᑦ ᐊᑦᓛᖓᑎᒃ ᐱᔭᐅᔪᓐᓇᖅᑐᓄᑦ ᑭᒡᓕᖃᖅᑎᑦᑎᓂᕐᒧᑦ ᖃᐅᔨᓴᐃᓂᕐᒧᑦ ᐋᖅᑭᐅᒪᔪᒥᑦ (AQMS), ᑖᓐᓇ ᐃᓇᖏᔪᖅ ᑲᓇᑕᒥᑦ ᐊᑦᓛᖓᑎᒃᒥᑦ ᐱᔭᐅᔪᓐᓇᖅᑐᓄᑦ ᑭᒡᓕᐅᔪᓄᑦ ᐃᓂᖄᒥᑦ (CAQR) 2021-ᒥᑦ. ᑭᖑᖅᓯᐅᕈᓅᑦ EAZ-ᒥᑦ ᐊᒻᒪᓗ WAZ-ᒥᑦ ᐊᐅᓛᖅᑎᑦᑎᓂᕐᒥᑦ ᐅᑭᐅᕆᔭᐅᔪᖅ ᑎᕆᒡᒍᐃᑦ (ᐆᐳᕆ)1-ᒥᑦ ᓇᑦᑎᐊ (ᒫᑦᓯ) 31-ᒧᑦ, ᑕᒪᓗᒃᑖᕐᒥᒃ 2021/2022-ᒥᑦ ᐱᑕᖅᑕᐅᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ ᐊᒻᒪᓗ ER-ᖑᔪᑦ ᐅᓂᒃᑳᑕᐅᔪᑦ ᑕᑉᐱᓂ ᖃᐅᔨᓴᐃᓂᕐᒥᑦ ᐃᓱᒪᒋᔭᐅᔭᕆᐊᖃᖅᑐᑦ ᓯᕗᓪᓕᐅᓂᕆᓐᓄᑦ.

2014-ᒥᑦ, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᕿᑎᐊᓂᑦ ᐊᒻᒪᓗ ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᐃᓂᐅᔪᑦ (ᒫᓐᓇ ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᐊᒻᒪᓗ ᐃᒪᕐᓂᒃ ᖃᐅᔨᓴᐃᔨᒃᑯᔪᑦ ᐋᓐᑎᐅᕆᔪᒥᑦ ᐊᒻᒪᓗ ᐳᕆᐊᕆᓂᑦ) ᐋᖅᑭᒃᓱᐃᒃᑲᓐᓂᓚᐅᖅᑐᑦ ᖃᐅᔨᓴᐃᓂᕐᓂᑦ ᐊᒻᒪᓗ ᓄᖃᖓᔪᑎᒃ ᐱᓕᕆᐊᖏᑦ ᑭᖑᕐᓂᑦ ᖃᐅᔨᓴᐃᓂᖅᖠᑦ WAZ-ᒥᑦ. ᑕᐃᒪᙵᓂᑦ, WAZ ᖃᐅᔨᓴᖅᑕᐅᓯᒪᔪᖅ ᐊᑕᐅᑦᑎᒃᑯᑦ ᐃᖃᓗᓕᕆᔨᒃᑯᑦ-ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᑭᖑᕐᓂᑦ ᖃᐅᔨᓴᐃᔨᒃᑯᓪᓗ (NSRF) EAZ-ᒥᑦ ᐊᒻᒪᓗ SFA 4-ᒥᑦ (ᖃᐅᔨᒪᔭᐅᖕᒥᔪᑦ NAFO 2G-ᑐᑦ) ᐃᓂᐅᔪᓂᑦ ᑕᒪᓗᒃᑖᖅ ᐱᖕᖠᓯᐃᑦ ᐃᓂᐅᔪᑦ ᐆᒃᑐᕋᐃᕝᕙᐅᖃᑦᑕᖅᑐᑦ ᐊᑕᐅᓯᕐᒥᑦ ᐅᒥᐊᕐᔪᐊᕐᒥᑦ, ᖃᓄᐃᓐᓂᖅᓴᐅᓂᖕᒋᓐᓃᕈᑎᓄᑦ (ᓰᕐᓗ, ᐊᑐᖅᑕᐅᔪᖅ Campelen ᓴᓐᖏᔪᑦ ᒪᑦᑎᑕᐅᑏᑦ ᐊᓗᐊᓂᑦ ᐊᒧᐊᖅᑕᐅᓖᑦ SFA 4-ᒥᑦ ᐊᒻᒪᓗ ᐋᖅᑭᐊᖅᓯᒪᔪᖅ Campelen ᓴᓐᖏᔪᑦ ᒪᑦᑎᑕᐅᑏᑦ ᐊᓗᐊᓂᑦ ᐊᒧᐊᖅᑕᐅᓖᑦ EAZ/WAS-ᒥᑦ; Siferd ᐊᒻᒪᓗ Legge 2014), ᐊᒻᒪᓗ ᑕᐃᑲᓂᑦᑕᐃᓐᓇᖅ ᐅᑭᐅᕐᒥᑦ. ᑖᓐᓇ ᐱᕆᐊᒃᑲᓐᓂᕆᐊᖅᑎᑦᑎᓚᐅᖅᓱᓂ WAZ-ᒥᑦ, ᓯᕗᓂᒃᓴᒥᑦ ᐃᑲᔪᐃᓅᑦ ᖃᐅᔨᓴᐃᓂᕐᒧᑦ ᑭᖑᕐᓂᑦ ᐊᖏᓂᖅᓴᐅᔪᖅ ᖃᓂᑦᑐᒥᑦ ᐱᐊᓂᙱᓐᓂᐅᔪᒥᑦ. ᐆᒃᑐᕋᐃᓂᕐᒧᑦ ᖃᓄᖅᑑᕈᑎ, ᐆᒪᓂᕐᓂᒃ ᐱᕆᐊᕐᓂᐅᔪᑦ, ᐊᒻᒪᓗ ᖁᑦᑎᖕᓂᖅᓵᒥᑦ ᐊᒻᒪᓗ ᐊᑦᑎᖕᓂᖅᓵᒥᑦ ᓇᓗᓇᙱᓐᓂᕐᒧᑦ ᐱᖃᑦᑕᕐᓂᖕᒋᓐᓄᑦ ᐅᖓᓯᒃᑎᒌᒃᑎᕆᓅᑦ ᐊᑐᖅᑕᐅᔪᑦ ᐆᒪᓂᖃᖅᑐᓄᑦ ᐊᒻᒪᓗ ᐊᑐᖅᑕᐅᓂᖕᒋᓐᓄᑦ ᓈᓴᐅᑎᓂᒃ ᓈᓴᐃᔾᔭᑕᐅᔪᑦ ᒪᓕᒃᑐᑦ ᓈᒻᒪᒋᔭᐅᔪᓂᒃ ᐱᓕᕆᖃᑎᒋᔭᐅᔪᓄᑦ ᕿᒥᕐᕈᔭᐅᔪᓄᑦ ᐋᖅᑭᐅᒪᔪᒃᑯᑦ (Siferd 2015).

ᐱᕝᕚᐅᔪᓄᑦ ᖃᓄᐃᖓᓂᐅᔪᑦ EAZ-ᒥᑦ ᐊᒻᒪᓗ WAZ-ᒥᑦ ᕿᒥᕐᕈᔭᐅᖃᑦᑕᖅᑐᖅ ᐅᔾᔨᖅᑐᕐᓂᕐᒃ ᐊᑐᖅᓱᑎᒃ (PA) ᐋᖅᑭᐅᒪᔪᒃᑯᑦ ᓴᖅᑭᑕᐅᓚᐅᖅᑐᖅ 2020-ᒥᑦ (ᐃᖃᓗᓕᕆᔨᒃᑯᑦ 2020). ᑕᒪᐃᓐᓄᑦ ᐆᒪᔩᖕᓄᑦ ᑭᖑᕐᓄᑦ, ᑭᒡᓕᖕᖠᓄᑦ ᖃᐅᔨᒋᐊᕐᕚᐅᔪᖅ ᐱᒋᐊᕐᓂᕐᒥᑦ (LRP) ᐋᖅᑭᒃᓯᒪᓚᐅᖅᑐᖅ 40%-ᒥᑦ ᓈᓴᐅᓯᕆᓂᕐᒧᑦ ᕿᑎᐊᓃᖅᖠᔪᖅ ᐊᕐᓇᒡᓗᐃᑦ ᒪᓐᓂᓕᐅᖅᑐᖕᒋᓐᓄᑦ (SSB) ᓇᓗᓇᐃᒃᑯᑎᓄᑦ ᐊᒻᒪᓗ ᓯᕗᓪᓕᖅᐹᓄᑦ (ᑭᖑᓪᓕᖅᐹᓕᐊᖑᙲᑦᑐᑦ ᓯᓕ) ᖁᑦᑎᖕᓂᖅᓴᒥᑦ ᐱᑕᖃᖅᑐᓂᒃ ᐱᔾᔪᑎᖃᖅᑐᖅ (USR) ᑐᒃᓯᕋᐅᑕᐅᓚᐅᖅᑐᖅ 80%-ᒥᑦ ᓈᓴᐅᓯᕆᓂᕐᒧᑦ ᒥᑭᓂᕐᒥᑦ ᐊᕐᓇᒡᓗᓐᓄᑦ SSB ᓇᓗᓇᐃᒃᑯᑕᒥᑦ ᒫᓐᓇᓵᖑᓚᐅᖅᑐᒥᑦ ᒪᓐᓂᓕᐅᕝᕚᐅᑎᓪᓗᒍ. EAZ-ᒧᑦ, ᒫᓐᓇ ᒪᓐᓂᓕᐅᕆᓂᕐᒧᑦ ᐅᐸᓗᕆᔭᐅᔪᑦ ᐊᑐᖅᑕᐅᔪᑦ ᓈᓴᐅᓯᕆᓂᕐᒧᑦ ᕿᑎᐊᓃᖅᖠᔪᖅ 2009-2019-ᒨᖅ. WAZ-ᒧᑦ, ᓈᓴᐅᓯᕆᓂᕐᒧᑦ ᕿᑎᐊᓃᖅᖠᔪᖅ ᐊᑐᖅᑐᖅ 2014–2019-ᒥᑦ ᐅᑉᐸᓗᕆᔭᐅᔪᓂᑦ ᓯᕗᓂᐊᒍᑦ ᐅᖃᐅᓯᐅᖅᖃᐅᔪᖅ ᐊᓯᐊᙳᕐᓂᖃᖅᑎᓪᓗᒍ ᖃᐅᔨᓴᐃᓂᕐᒧᑦ ᒪᓕᒃᑕᐅᔪᓂᒃ 2014-ᒧᑦ (ᐃᖃᓗᓕᕆᔨᒃᑯᑦ 2020).

ᖃᐅᔨᓴᐃᓂᖅ ᐊᒻᒪᓗ ᐅᐸᓗᐊᓂᖅ

ᓄᑖᙳᖅᑎᕆᓂᖅ ᓇᓗᓇᐃᖅᓯᔾᔪᑎᓂᒃ (ᐱᑕᖅᑕᐅᔪᓂᒃ ᑎᑎᕋᖅᓯᒪᔪᑦ ᓯᕗᓪᓕᖅᐹᖑᔪᑦ ᑕᖅᑮᓐᓇᕐᔪᐊᖅ (ᔭᓄᐊᕆ) 7, 2022-ᒥᑦ)

ᑲᓇᙵᒥᑦ ᖃᐅᔨᓴᐃᓂᕐᒧᑦ ᐃᓂᐅᔪᖅ - *Pandalus borealis*

ᐃᖃᓗᓕᕆᓂᖅ

ᓯᕗᓪᓕᖅᐹᑦ ᑲᑎᓪᓗᒥᑦ 2021/22-ᒥᑦ ᐱᑕᖅᑕᐅᔪᓄᑦ *P. Borealis*-ᓂᒃ EAZ-ᒥᑦ 8,359 t-ᖑᓚᐅᖅᑐᑦ, 74%-ᖑᔪᑦ TAC-ᒥᑦ (ᑎᑎᖅᑲᖅ A1, ᐊᒃᓰ B2).

ᐆᒪᓂᖃᕐᕕᐅᔪᖅ

ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᖕᓇᖅᑐᑦ ᐆᒪᓂᖃᕐᓂᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᓂᑦ ᒥᒃᓵᒋᐊᖅᑐᑦ ᑐᒃᑐᐊᓂᑦ ᐅᑭᐅᖑᔪᒥᑦ ᑭᖑᑐᓅᒃᑕᖅᓱᑎᒃ, 37.8%-ᓂᒃ 2020-ᒥᑦ 2021-ᒧᑦ, ᐊᒻᒪᓗ ᒫᓐᓇᐅᔪᖅ 53,658 t-ᖑᔪᑦ (ᑎᑎᖅᑲᖅ A2, ᐊᒃᓰ B3a). ᐊᕐᓇᒡᓗᕐᓄᑦ SSB-ᒥᒃ ᓇᓗᓇᐃᖅᓯᓂᖅ ᑕᑯᒃᓴᐅᑎᑦᑎᔪᖅ ᑐᒃᑐᐊᓂᑦ ᑭᖑᑐᓅᒃᑕᖅᓱᑎᒃ ᐊᕐᕚᒍᑕᒫᒃᑯᑦ ᒥᒃᓵᒋᐊᖅᑐᓂᒃ, 40.9%-ᓂᒃ 2020-ᒥᑦ 2021-ᒧᑦ, ᐊᒻᒪᓗ ᒫᓐᓇᐅᔪᖅ 35,792 t-ᖑᔪᑦ (ᑎᑎᖅᑲᖅ A2, ᐊᒃᓰ B3b). ᑕᒪᕐᒥᒃ ᓇᓗᓇᐃᖅᓯᔪᑦ ᐊᑦᑎᒃᓯᔪᑦ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖅᖠᓂᖅᖠᓐᓂᒃ 2021-ᒥᑦ.

ᑎᑭᑕᐅᓂᖏᑦ

ᐅᓂᒃᑳᐅᓯᐅᔪᑦ ER ᓇᓗᓇᐃᖅᓯᓂᕐᒥᑦ 2021/22-ᒧᑦ 15.6%-ᖑᓚᐅᖅᑐᖅ (ᐊᒃᓰ B4a). ᑕᒪᓗᒃᑖᕐᒥᒃ TAC ᐱᔭᐅᓚᐅᖅᐸᑦ ᐅᑭᐅᖑᔪᒥᑦ ᐃᖃᓗᒃᓯᐅᕐᓇᒥᑦ ER-ᒧᑦ ᓇᓗᓇᐃᖅᓯᒃᓯᑎᐅᔪᖕᓇᖅᑐᖅ 2021-22-ᒧᑦ 21.1%-ᖑᓇᔭᖅᑐᖅ (ᐊᒃᓰ B4b), ᑖᓐᓇ ᖁᓵᓅᑦᑐᖅ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖅᖠᔪᒥᑦ (14.7%).

ᒫᓐᓇᐅᔪᖅ ᑕᐅᑐᒃᑕᐅᔪᖅ

ᒥᒃᓯᒋᐊᖅᓯᒪᓂᖃᕐᓗᐊᖅᑎᓪᓗᒋ SSB ᓇᓗᓇᐃᖅᓯᔾᔪᑎᒥᑦ, ᒪᓕᒃᓗᒋᑦ ᑐᒃᓯᕋᐅᑕᐅᔪᑦ USR, *P. borealis* EAZ-ᒥᑦ ᐃᓂᐅᔪᒦᙱᓐᓇᖅᑐᖅ ᖃᓄᐃᙱᓂᖃᕐᓂᕐᒧᑦ ᐃᓂᐅᔪᒥᑦ PA-ᒥᑦ ᐱᓕᕆᐊᕐᒧᑦ ᐋᖅᕿᐅᒪᔪᒥᑦ. ᖃᐅᔨᒪᔭᐅᓕ, ᐅᖓᑖᓄᐊᑐᐃᓐᓇᕆᐊᖃᖅᑐᑦ ᐅᔾᔨᖅᑐᕐᓂᕐᒧᑦ ᐃᓂᐅᔪᒥᑦ ᒪᓕᒃᓗᒋᑦ ᓇᓗᓇᙳᖏᓐᓂᐅᔪᖅ USR-ᓕᐊᖑᔪᒪᔪᒧᐊᕐᓗᑎᒃ (ᐊᔾᔨ B5).

ᑲᓇᙵᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓂᑦ ᐃᓂᓕᐊᖅ - *Pandalus montagui*

ᐃᖃᓗᓕᕆᓂᖅ

ᓯᕗᓪᓕᖅᐸᑦ ᑲᑎᕐᓗᒋᑦ 2021/22-ᒥᑦ ᐱᑕᖅᑕᐅᔪᑦ *P. montagui* EAZ-ᒥᑦ 582 t-ᖑᓚᐅᖅᑐᑦ, ᑖᒻᓇ 65%-ᖑᔪᖅ TAC-ᒥᑦ (ᑎᑎᖅᑲᖅ A1, ᐊᔾᔨ B6).

ᐆᒪᓂᖃᕐᕕᐅᔪᖅ

ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᓐᓇᖅᑐᑦ ᐆᒪᓂᖃᕐᓂᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᓂᑦ ᒥᒃᓯᒋᐊᖅᑐᑦ 19.0%-ᒥᑦ 2020-ᒥᑦ 2021-ᒧᑦ, ᐊᒻᒪᓗ ᒫᓐᓇᐅᔪᖅ 15,225 t-ᒥᑦᑐᖅ (ᑎᑎᖅᑲᖅ A3, ᐊᔾᔨ B7a). ᐊᕐᓇᓪᓗᙵᓄᑦ SSB ᓇᓗᓇᐃᖅᓯᓂᖅ ᑕᑯᒃᓴᐅᑎᑦᑎᔪᖅ ᒥᒃᓯᒋᐊᖅᑐᒥᒃ, 22.4 %-ᓂᒃ 2020-ᒥᑦ2021-ᒧᑦ, ᐊᒻᒪᓗ ᒫᓐᓇᐅᔪᖅ 11,200 t-ᒦᑦᑐᖅ (ᑎᑎᖅᑲᖅ A3, ᐊᔾᔨ B7b). ᑕᒪᕐᒥᒃ ᓇᓗᓇᐃᖅᓯᓃᑦ ᖃᓂᒋᔭᖓᓃᓚᐅᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᙶᔪᙱᓐᓄᑦ 2021-ᒥᑦ.

ᑎᑭᑕᐅᓂᖏᑦ

ᐅᓂᒃᑲᐅᓯᐅᓚᐅᖅᑐᖅ ER ᓇᓗᓇᐃᖅᓯᔾᔪᑏᑦ 2021/22-ᒧᑦ 3.8%-ᖑᓚᐅᖅᑐᖅ (ᐊᔾᔨ B8a). ᑕᒪᓗᒃᑖᕐᒥᒃ TAC ᐱᔭᐅᓚᐅᖅᐸᑕ ᐃᖃᓗᒃᓯᐅᕐᓇᒥᑦ ER-ᒧᑦ ᓇᓗᓇᐃᖅᓯᓂᐅᔪᙵᖅᑐᖅ 2021/22-ᒧᑦ 5.9%-ᖑᓇᔭᖅᑐᖅ (ᐊᔾᔨ B8b), ᑖᒻᓇ ᐊᑖᓃᑦᑐᖅ ᐊᑭᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᙶᔪᒥᑦ (28.6%).

ᒫᓐᓇᐅᔪᖅ ᑕᐅᑐᒃᑕᐅᔪᖅ

ᒥᒃᓯᒋᐊᖅᓯᒪᓂᖃᕐᓗᐊᖅᑎᓪᓗᒋ SSB ᓇᓗᓇᐃᖅᓯᔾᔪᑎᒥᑦ, ᒪᓕᒃᓗᒋᑦ ᑐᒃᓯᕋᐅᑕᐅᔪᑦ USR, *P. montagui* EAZ-ᒥᑦ ᐃᓂᐅᔪᒦᙱᓐᓇᖅᑐᖅ ᖃᓄᐃᙱᓂᖃᕐᓂᕐᒧᑦ ᐃᓂᐅᔪᒥᑦ PA-ᒥᑦ ᐱᓕᕆᐊᕐᒧᑦ ᐋᖅᕿᐅᒪᔪᒥᑦ. ᖃᐅᔨᒪᔭᐅᓕ, ᐅᖓᑖᓄᐊᑐᐃᓐᓇᕆᐊᖃᖅᑐᑦ ᐅᔾᔨᖅᑐᕐᓂᕐᒧᑦ ᐃᓂᐅᔪᒥᑦ ᒪᓕᒃᓗᒋᑦ ᓇᓗᓇᙳᖏᓐᓂᐅᔪᖅ USR-ᓕᐊᖑᔪᒪᔪᒧᐊᕐᓗᑎᒃ (ᐊᔾᔨ B9).

ᐱᖓᙵᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓂᑦ ᐃᓂᓕᐊᖅ - *Pandalus borealis*

ᐃᖃᓗᓕᕆᓂᖅ

ᓯᕗᓪᓕᖅᐸᑦ ᑲᑎᕐᓗᒋᑦ 2021/22-ᒥᑦ ᐱᑕᖅᑕᐅᔪᓄᑦ *P. Borealis*-ᓂᒃ WAZ-ᒥᑦ 1,248 t-ᖑᓚᐅᖅᑐᑦ, 24%-ᖑᔪᑦ TAC-ᒥᑦ (ᑎᑎᖅᑲᖅ A1, ᐊᔾᔨ B10).

ᐆᒪᓂᖃᕐᕕᐅᔪᖅ

ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᓐᓇᖅᑐᑦ ᐆᒪᓂᖃᕐᓂᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᓂᑦ ᒥᒃᓯᒋᐊᖅᑐᑦ 39.7%-ᒥᑦ 2020-ᒥᑦ 2021-ᒧᑦ, ᐊᒻᒪᓗ ᒫᓐᓇᐅᔪᖅ 19,784 t-ᒥᑦᑐᖅ (ᑎᑎᖅᑲᖅ A4, ᐊᔾᔨ B11a). ᐊᕐᓇᓪᓗᙵᓄᑦ SSB ᓇᓗᓇᐃᖅᓯᓂᖅ ᑕᑯᒃᓴᐅᑎᑦᑎᔪᖅ ᒥᒃᓯᒋᐊᖅᑐᒥᒃ, 19.8 %-ᓂᒃ 2020-ᒥᑦ2021-ᒧᑦ, ᐊᒻᒪᓗ ᒫᓐᓇᐅᔪᖅ 14,082 t-ᒦᑦᑐᖅ (ᑎᑎᖅᑲᖅ A4, ᐊᔾᔨ B11b). ᑕᒪᕐᒥᒃ ᓇᓗᓇᐃᖅᓯᔾᔪᑏᑦ ᖃᓂᑕᖏᓐᓃᓚᐅᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᙶᔪᙱᓐᓄᑦ ᐃᖃᓗᒃᓯᕝᕕᐅᔪᙵᖅᑐᑦ ᐊᑖᓃᕋᔪᒃᓗᑎᒃ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᙶᔪᒥᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᐃᑦ SSB ᖁᑦᑎᙵᓂᖅᓴᐅᕋᕐᔪᒃᓗᓂ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᙶᔫᑉ.

ᑎᑭᑕᐅᓂᖏᑦ

ᐅᓂᒃᑲᐅᓯᐅᓚᐅᖅᑐᖅ ER ᓇᓗᓇᐃᖅᓯᔾᔪᑏᑦ 2021/22-ᒧᑦ 6.3%-ᖑᓚᐅᖅᑐᖅ (ᐊᔾᔨ B12a). ᐊᒥᓲᔪᙳᕐᓂᖏᓐᓄᑦ ᐃᖃᓗᒃᓯᕝᕕᐅᔪᙵᖅᑐᑦ 2021-ᒥᑦ, ᑕᒪᓗᒃᑖᖅ TAC ᐱᔭᐅᓚᐅᖅᐸᑦ ᐃᖃᓗᒃᓯᐅᕐᓇᒥᑦ ER ᓇᓗᓇᐃᖅᓯᓂᐅᔪᙵᖅᑐᖅ 2021/22-ᒧᑦ 25.7%-ᖑᓇᔭᖅᑐᖅ (ᐊᔾᔨ B12b), ᑖᒻᓇ ᖁᓛᓃᑦᑐᖅ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᙶᔪᒥᑦ (12.5%).

ᒫᓐᓇᐅᔪᖅ ᑕᐅᑐᒃᑕᐅᔪᖅ

ᒥᒃᓯᒋᐊᖅᓯᒪᓂᖃᕋᓗᐊᖅᑎᓪᓗᒋ SSB ᓇᓗᓇᐃᖅᓯᔾᔭᑎᒥᑦ, ᒪᓕᒃᓱᒋᑦ ᑐᒃᓯᕋᐅᑕᐅᔭᑦ USR, *P. Borealis* WAZ-ᒥᑦ ᐃᓂᐅᔪᒦᙱᓐᓇᖅᑐᖅ ᖃᓄᐃᙱᓂᖃᕐᓂᕐᒧᑦ ᐃᓂᐅᔪᒥᑦ PA-ᒥᑦ ᐱᓕᕆᐊᕐᒧᑦ ᐋᖅᑭᐅᒪᔪᒥᑦ. ᖃᐅᔨᒪᔭᐅᓕ, ᐅᖓᑖᓄᐊᑐᐃᓐᓇᕆᐊᖃᖅᑐᑦ ᐅᔾᔨᖅᑐᕐᓂᕐᒧᑦ ᐃᓂᐅᔪᒥᑦ ᒪᓕᒃᓱᒋᑦ ᓇᓗᓇᙳᒋᓐᓂᐅᔪᖅ USR-ᓕᐊᙱᔪᒪᔪᒧᐊᕐᓗᑎᒃ (ᐊᔾᔨ B13).

ᐱᖓᓐᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓂᑦ ᐃᓂᓕᐊᖅ - *Pandalus montagui*

ᐃᖃᓗᓕᕆᓂᖅ

ᓯᕗᓪᓕᖅᐸᑦ ᑲᑎᕐᓱᒋᑦ 2021/22-ᒥᑦ ᐱᑕᖅᑕᐅᔪᑦ *P. montagui* WAZ-ᒥᑦ 8,106 t-ᙱᓚᐅᖅᑐᑦ, ᑖᒃᑲ 86%-ᙱᔪᖅ TAC-ᒥᑦ (ᑎᑎᖅᑲᖅ A1, ᐊᔾᔨ B14).

ᐆᒪᓂᖃᕐᕕᐅᔪᖅ

ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᓐᓇᖅᑐᑦ ᐆᒪᓂᖃᕐᓂᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᓂᑦ ᐊᙵᒡᓕᒋᐊᖅᑐᑦ 27.7%-ᒥᑦ 2020-ᒥᑦ 2021-ᒧᑦ, ᐊᒻᒪᓗ ᒫᓐᓇᐅᔪᖅ 65,026 t-ᙱᔪᖅ (ᑎᑎᖅᑲᖅ A5, ᐊᔾᔨ B15a). ᐊᕐᓇᓪᓗᕐᓄᑦ SSB-ᒥᒃ ᓇᓗᓇᐃᖅᓯᓂᖅ ᑕᑯᒃᓴᐅᑎᑦᑎᔪᖅ ᐊᙵᒡᓕᒋᐊᕐᓂᕐᒥᒃ, 39.5%-ᒧᑦ 2020-ᒥᑦ 2021-ᒧᑦ, ᐊᒻᒪᓗ ᒫᓐᓇᐅᔪᖅ 37,398 t-ᒦᑦᑐᖅ (ᑎᑎᖅᑲᖅ A5, ᐊᔾᔨ B15b). ᑕᒪᕐᒥᒃ ᓇᓗᓇᐃᖅᓯᔾᔭᑏᑦ ᖁᑦᓛᓂᑦᑐᑦ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖓᔪᙱᓂᑦ 2021-ᒥᑦ.

ᑎᑭᑕᐅᓂᙱᑦ

ᐅᓂᑉᑲᐅᓯᐅᓚᐅᖅᑐᖅ ER ᓇᓗᓇᐃᖅᓯᔾᔭᑏᑦ 2021/22-ᒧᑦ 12.5%-ᙱᓚᐅᖅᑐᖅ (ᐊᔾᔨ B16a). ᑕᒪᓗᒃᑖᕐᒥᒃ TAC ᐱᔭᐅᓚᐅᖅᐸᑦ ᐅᑭᐅᙱᔪᒥᑦ ᐃᖃᓗᒃᓯᐅᕐᓇᒥᑦ ER-ᒧᑦ ᓇᓗᓇᐃᖅᓯᔾᔭᑎᐅᔪᓐᓇᖅᑐᖅ 2021-22-ᒧᑦ 14.6%-ᙱᓇᔭᖅᑐᑦ (ᐊᔾᔨ B16b), ᖃᓂᑕᖓᓃᑦᑐᖅ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖓᔪᒥᑦ (14.5%).

ᒫᓐᓇᐅᔪᖅ ᑕᐅᑐᒃᑕᐅᔪᖅ

ᒪᓕᒃᓱᒍ ᑐᒃᓯᕋᐅᑕᐅᔪᖅ USR, *P. montagui* WAZ-ᒥᑦ ᖃᓄᐃᖏᐅᔭᖅᑐᑦ ᐃᓂᐅᔪᒥᑦ PA ᐱᓕᕆᐊᕐᒧᑦ ᐋᖅᑭᐅᒪᔪᒥᑦ. ᐅᖓᑖᓄᐊᖅᑐᑦ ᐅᔾᔨᖅᑐᕐᓂᕐᒧᑦ ᐃᓂᐅᔪᒥᑦ ᐱᑕᖃᕈᒥᓇᙱᑦᑎᐊᖅᑐᖅ ᒪᓕᒃᓱᒋᑦ ᓇᓗᓇᙳᒋᓐᓂᖅ ᐱᖃᑦᑕᕐᓂᙱᑦ ᑐᒃᓯᕋᐅᑕᐅᔪᖅ USR-ᒧᑦ (ᐊᔾᔨ B17).

ᐱᐅᓂᒍᑎᐅᔪᑦ

ᑲᓇᙳᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ (EAZ)

Pandalus borealis

- 2021-ᒥᑦ, ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᓐᓇᖅᑐᑦ ᐆᒪᔪᓂᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᕐᓂᑦ SSB-ᒥᑦ ᓇᓗᓇᐃᔭᖅᓯᒪᔪᑦ ᐊᙵᔪᒥᒃ ᒥᒃᓯᒋᐊᕐᓂᖃᓚᐅᖅᑐᑦ; ᑕᒪᐃᓐᓂᑦ ᐆᒪᔪᓂᑦ ᓇᓗᓇᐃᖅᓯᔾᔭᑏᑦ ᐊᑎᙱᓐᓄᐊᓚᐅᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᑦ ᒥᑭᓂᙱᓐᓂᑦ 2021-ᒥᑦ. ᑖᒃᑲ ᒪᓕᒃᑐᖅ 2020-ᒥᑦ ᐊᙵᒡᓕᒋᐊᖅᓯᒪᐸᓗᓂ ᐃᖃᓗᒃᓯᐅᕐᕕᐅᔪᓐᓇᖅᑐᓂᒃ ᐊᒻᒪᓗ ᐊᙵᒡᓕᒋᐊᕐᕌᔾᔪᑎᒃ ᐊᕐᓇᓪᓗᐃᑦ SSB-ᑕᓕᖕᒥᑦ.
- ᒪᓕᒃᓱᒋᑦ ᑐᒃᓯᕋᐅᑕᐅᔭᑦ USR ᐱᑕᓕᖕᓂᑦ ᖃᓄᐃᖏᐅᔭᖅᑐᑦ ᐃᓂᐅᔪᒥᑦ PA ᐱᓕᕆᐊᕐᒧᑦ ᐋᖅᑭᐅᒪᔪᒥᑦ.
- ER ᓇᓗᓇᐃᖅᓯᓂᐅᔪᖓᖅᑐᖅ 2021/22-ᒧᑦ 21.1%-ᙱᔪᖅ, ᑖᒃᑲ ᖁᑦᓛᓂᑦᑐᖅ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖓᔪᒥᑦ ER-ᙱᔪᖓᖅᑐᒥᑦ (14.7%).

Pandalus montagui

- 2021-ᒥᑦ, ᑕᒪᕐᒥᒃ ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᖓᖅᑐᑦ ᐆᒪᔪᓂᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᕐᓂᑦ SSB-ᒥᑦ ᓇᓗᓇᐃᔭᖅᓯᒪᔪᑦ ᐊᙵᒡᓕᒋᐊᖅᑐᑦ, ᑭᓯᐊᓂ ᖃᓂᒌᓐᓇᖅᑕᖏᑦ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖓᔪᙱᓐᓄᑦ.

- ᒪᓕᒃᓱᒋᑦ ᑐᒃᓯᑫᐅᑕᐅᔪᑦ USR ᐱᑕᓕᖕᓂᑦ ᖃᓄᐃᖏᐅᕗᖅᑐᑦ ᐃᓂᐅᔪᒥᑦ PA ᐱᓕᕆᐊᕐᒧᑦ ᐋᖅᑭᐅᒪᔪᒥᑦ. ᖃᐅᔨᒪᔭᐅᓕ ᑐᑭᓕᐅᖅᓯᒪᔪᖅ ᐱᑕᖃᕐᓂᐅᖏᓐᓄᑦ ᖃᓄᐃᖓᓂᖏᑦ ᐊᔪᕐᓇᖅᑑᔪᖅ ᐊᖏᔪᒥᒃ ᐊᓯᐊᙳᖅᑕᕐᓂᖏᓐᓄᑦ ᐱᑕᖃᐅᕐᓂᖏᑦ ᐆᒪᔪᐃᑦ.
- ER-ᒧᑦ ᓇᓗᓇᐃᖅᓯᔾᔪᑎᐅᔪᙾᖅᑐᖅ 2021-22-ᒧᑦ 5.9%-ᖑᔪᖅ, ᑖᒻᓇ ᐊᑖᓃᑦᑐᖅ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖕᒐᔪᖏᓐᓄᑦ ER-ᖑᔪᙾᖅᑐᒥᑦ (28.6%).

ᐱᖓᙵᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ (WAZ)

Pandalus borealis

- 2021-ᒥᑦ, ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᙾᖅᑐᑦ ᐆᒪᔪᓂᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᕐᓂᑦ SSB-ᒥᑦ ᓇᓗᓇᐃᔭᖅᓯᒪᔪᑦ ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᙾᖅᑐᑦ ᐆᒪᓂᖃᕐᓂᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᓂᑦ 2021-ᒥᑦ ᖃᓂᑕᖕᒐᓃᓚᐅᖅᑐᖅ ᐊᑯᓂᐅᔪᒧᑦ ᕿᑎᐊᓃᖕᒐᔪᓂᑦ. ᐊᕐᓇᓪᓗᕐᓂᑦ SSB ᓇᓗᓇᐃᔭᖅᓯᒪᔪᑦ ᕐᑯᑦᓃᓚᐅᖅᑐᖅ ᐊᑯᓂᐅᔪᒧᑦ ᕿᑎᐊᓃᖕᒐᔪᓂᑦ.
- ᒪᓕᒃᓱᒋᑦ ᑐᒃᓯᑫᐅᑕᐅᔪᑦ USR ᐱᑕᓕᖕᓂᑦ ᖃᓄᐃᖏᐅᕗᖅᑐᑦ ᐃᓂᐅᔪᒥᑦ PA ᐱᓕᕆᐊᕐᒧᑦ ᐋᖅᑭᐅᒪᔪᒥᑦ.
- ER ᓇᓗᓇᐃᖅᓯᓂᐅᔪᙾᖅᑐᖅ 2021/22-ᒧᑦ 25.7%-ᖑᔪᖅ, ᑖᒻᓇ ᕐᑯᑦᓃᑦᑐᖅ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖕᒐᔪᒥᑦ ER-ᖑᔪᙾᖅᑐᒥᑦ (12.5%).

Pandalus montagui

- 2021-ᒥᑦ, ᑕᒪᕐᒥᒃ ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᙾᖅᑐᑦ ᐆᒪᔪᓂᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᕐᓂᑦ SSB-ᒥᑦ ᓇᓗᓇᐃᔭᖅᓯᒪᔪᑦ, ᐃᓕᓯᐸᓗᑎᒃ ᕐᑯᑦᓂᑦ ᐱᕚᖃᕐᓂᒃᑰᖅᑕᐅᔪᑦ ᕿᑎᐊᓃᖕᒐᔪᖏᓐᓄᑦ.
- ᒪᓕᒃᓱᒋᑦ ᑐᒃᓯᑫᐅᑕᐅᔪᑦ USR ᐱᑕᓕᖕᓂᑦ ᖃᓄᐃᖏᐅᕗᖅᑐᑦ ᐃᓂᐅᔪᒥᑦ PA ᐱᓕᕆᐊᕐᒧᑦ ᐋᖅᑭᐅᒪᔪᒥᑦ.
- ER ᓇᓗᓇᐃᖅᓯᓂᐅᔪᙾᖅᑐᖅ 2021/22-ᒧᑦ 14.6%-ᖑᔪᖅ, ᖃᓂᑕᖕᒐᓃᑦᑐᖅ ᐊᑯᓂᐅᔪᒥᑦ ᕿᑎᐊᓃᖕᒐᔪᒥᑦ ER-ᖑᔪᙾᖅᑐᒥᑦ (14.5%).

ᐃᑲᔪᖃᑕᐅᔪᑦ

- Colin Gallagher, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᓱᓇᑐᐃᓐᓇᓕᕆᓂᖅ, ᐋᓐᑎᐅᕆᔪ ᐊᒻᒪᓗ ᐳᕆᐅᕆᓂᑦ (ᐃᒃᓯᕚᐅᑕᖅ)
- Wojciech Walkusz, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᓱᓇᑐᐃᓐᓇᓕᕆᓂᖅ, ᐋᓐᑎᐅᕆᔪ ᐊᒻᒪᓗ ᐳᕆᐅᕆᓂᑦ
- Sheila Atchison, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᓱᓇᑐᐃᓐᓇᓕᕆᓂᖅ, ᐋᓐᑎᐅᕆᔪ ᐊᒻᒪᓗ ᐳᕆᐅᕆᓂᑦ
- Katherine Skanes, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᓱᓇᑐᐃᓐᓇᓕᕆᓂᖅ, ᓂᐅᕙᓐᓚᓐ ᐊᒻᒪᓗ ᓚᐳᕋᑐᐊ
- Krista Baker, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᓱᓇᑐᐃᓐᓇᓕᕆᓂᖅ, ᓂᐅᕙᓐᓚᓐ ᐊᒻᒪᓗ ᓚᐳᕋᑐᐊ
- William Coffey, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᓱᓇᑐᐃᓐᓇᓕᕆᓂᖅ, ᓂᐅᕙᓐᓚᓐ ᐊᒻᒪᓗ ᓚᐳᕋᑐᐊ
- Mary Thiess, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᓱᓇᑐᐃᓐᓇᓕᕆᓂᖅ, ᑲᓇᑕᐹ ᐊᖓᔪᖅᑳᖃᕐᕕᐊᓂ
- Nicholas Duprey, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᓱᓇᑐᐃᓐᓇᓕᕆᓂᖅ, ᑲᓇᑕᐹ ᐊᖓᔪᖅᑳᖃᕐᕕᐊᓂ (ᑎᑎᕋᖅᓯᒪᔫᑯᑦ ᕿᒥᕐᕈᓂᑐᐃᓐᓇᖅ)
- Jennie Ryman, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᐊᐅᓚᑦᑎᔨᒃᑯᖏᑦ, ᐅᑭᐅᖅᑕᖅᑐᒥᑦ
- Kailey Noonan, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᐱᕚᐅᔪᓂᒃ ᐊᐅᓚᑦᑎᔨᒃᑯᖏᑦ, ᑲᓇᑕᐹ ᐊᖓᔪᖅᑳᖃᕐᕕᐊᓂ
- Derek Mahoney, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᐱᕚᐅᔪᓂᒃ ᐊᐅᓚᑦᑎᔨᒃᑯᖏᑦ, ᑲᓇᑕᐹ ᐊᖓᔪᖅᑳᖃᕐᕕᐊᓂ
- Erika Parrill, ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᐱᕚᐅᔪᓂᒃ ᐊᐅᓚᑦᑎᔨᒃᑯᖏᑦ, ᑲᓇᑕᐹ ᐊᖓᔪᖅᑳᖃᕐᕕᐊᓂ (ᑎᑎᕋᖅᓯᒪᔫᑯᑦ ᕿᒥᕐᕈᓂᑐᐃᓐᓇᖅ)

ᐊᖏᖅᑕᐅᔪᖅ

Tricia Mitchell, ᐊᐅᓚᑦᓯᔩ ᑭᓪᓕᓯᓂᐊᕐᓂᕐᒧᑦ, ᐋᓐᑎᐅᕆᔪ ᐊᒻᒪᓗ ᐳᕆᐅᕆᓂᑦ

Lianne Postma, ᐃᓇᖐᓯᒪᔪᖅ/ᐊᕙᑦᑐᖅᓯᒪᔭᒥᑦ ᐊᐅᓚᑦᑎᔩ, ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᐊᒻᒪᓗ ᐃᒪᕐᓂᑦ ᖃᐅᔨᓴᐃᔩᑯᑦ, ᐋᓐᑎᐅᕆᔭᒥᑦ ᐊᒻᒪᓗ ᐳᕆᐅᕆᒥᑦ

(ᕕᕈᐊᕆ 4, 2022) (ᑕᒻᒪᖅᓯᒪᔪᖅ: ᕕᕗᐊᕆ 25, 2022)

ᐱᕝᕕᐅᔪᑦ ᑐᑭᓯᐅᒪᔾᔪᑎᓂᑦ

DFO. 2007. Assessment Framework for Northern Shrimp (*Pandalus borealis*) off Labrador and the northeastern coast of Newfoundland; 28-30 May 2007. DFO Can. Sci. Advis. Sec. Proceed. Ser. 2007/034.

DFO. 2011. Assessment of Northern Shrimp (*Pandalus borealis*) and Striped Shrimp (*Pandalus montagui*) in Western and Eastern assessment zones (SFA 2 and 3). DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2011/010.

DFO. 2020. Science Advice on Limit Reference Points for Northern Shrimp (*Pandalus borealis*) and Striped Shrimp (*Pandalus montagui*) in the Eastern and Western Assessment Zones. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2020/053.

DFO. 2021. Assessment of Northern Shrimp (*Pandalus borealis*) and Striped Shrimp (*Pandalus montagui*) in the Eastern and Western Assessment Zones, February 2021. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2021/014. (Erratum: November 2021)

Siferd, T., and Legge, G. 2014. Modifications to the Campelen 1800 shrimp survey trawl. DFO Can. Sci. Advis. Sec. Res. Doc. 2014/024. iv + 38 p.

Siferd, T.D. 2015. 2015 Assessment of Northern Shrimp *(Pandalus borealis)* and Striped Shrimp *(Pandalus montagui)* in the Eastern and Western Assessment Zones (SFAs Nunavut, Nunavik and Davis Strait). DFO Can. Sci. Advis. Sec. Res. Doc. 2015/010. v + 70 p.

ᐅᐃᒍᓯᒪᔪᖅ A. ᑎᑎᖅᑲᖅ

ᑎᑎᖅᑲᖅ A1. ᐱᓂᐊᖅᑕᐅᓇᕆᖅᑕᐅᔪᑦ (t) ᑲᓇᕐᓇᐅᑉ ᖃᐅᔨᓴᐃᕖᒻᒥ ᐅᐊᓕᓂᕐᒥᒧ ᖃᐅᔨᓴᐃᓂᕐᒥ ᑭᖑᑉᐸᓄᑦ Pandalus borealis ᐊᒻᒪ Pandalus. Montagui. *ᐱᑕᖅᑕᐅᔪᑦ ᒪᓕᒃᓱᒋᑦ AQM ᑕᖅᕿᓐᓇ ᕐᔪᐊᖅ (ᔭᓄᐊᕆ) 7, 2022-ᒥᑦ (ᓇᓗᓇᐃᖅᓯᒪᔪᖅ *-ᒥᑦ). ᐃᖃᓗᓕᕆᓂᖅ ᐅᒃᑯᐃᖕᒋᕐᒪᑦ ᓯᓕ, ᐱᑕᖅᑕᐅᔪᓂᒃ ᐅᖃᐅᓯᐅᔪᑦ ᑕᒡᕙᓂ ᓯᕗᓪᓕᖅᐸᐅᔪᑦ 2021/22-ᒧᑦ.*

ᐊᕐᕌᒍ	ᐱᑕᖅᑕᐅᔪᖅ (t)			
	ᑲᓇᖕᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ		ᐱᖓᖕᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ	
	P. borealis	*P. montagui*	*P. borealis*	*P. montagui*
2021*	8,359	582	1,248	8,106
2020	6,165	447	1,438	7,841
2019	5,508	225	1,612	8,114
2018	6,198	234	1,307	5,531
2017	6,488	233	918	5,609
2016	6,667	358	643	5,660
2015	4,816	59	353	4,616
2014	4,972	401	847	5,836
2013	6,793	1,075	973	4,775
2012	5,555	1,173	13	1,105
2011	7,687	135	0	857
2010	6,908	483	57	345
2009	5,159	564	0	0
2008	5,184	808	0	0
2007	6,359	1,832	0	0
2006	6,028	925	0	0
2005	6,387	1,427	-	0
2004	5,842	2,301	-	0
2003	5,617	1,217	-	0
2002	5,695	3,081	-	0
2001	6,275	3,867	-	0
2000	5,718	4,238	-	0
1999	5,465	3,780	-	0
1998	5,372	3,360	-	0
1997	5,870	3,050	-	0
1996	3,467	3,058	-	0
1995	2,489	3,192	-	0
1994	456	154	-	0
1993	68	0	-	0
1992	1,210	1	-	0
1991	1,150	623	-	0
1990	1,634	174	-	5

ᑎᑎᖅᖃᖅ A2. ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᓐᓇᖅᑐᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᐃᑦ ᒪᓐᓂᓕᐅᖅᑐᓂᑦ (SS) ᐆᒪᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ Pandalus boreali-ᒧᑦ *ᑲᓇᖕᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᒥᑦ 2009-2021-ᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓄᑦ. LCL ᐊᒻᒪᓗ UCL ᐊᑦᑎᖕᓂᖅᓴᐅᔪᑦ ᐊᒻᒪᓗ ᖁᑦᑎᖕᓂᖅᓴᐅᔪᑦ 95%-ᒥᒃ ᓇᓗᓇ ᙱᓐᓂᕐᒧᑦ ᑭᒡᓕᐅᔪᓂᑦ. ᐅᑭᐅᕐᒥᑦ ᐅᑭᐅᕐᒧᑦ ᐊᓯᐊᙳᕐᓂᐅᔪᑦ ᓇᓗᓇᐃᖅᓯᔪᑦ ᖃᓂᑕᖕᓚᓄᑦ ᐊᓯᐊᙳᕐᓂᐅᔪᓂᒃ ᑕᐅᑐᖕᒌᖅᓱᒥᑦ ᓯᕗᓂᐊᓂᑦ ᐅᑭᐅᖑᓚᐅᖅᑐᒥᑦ.*

ᐊᕐᕌᒍ	ᐆᒪᓂᖃᕐᕕᐅᔪᖅ	ᐊᕐᕌᒍᒥ ᑭᖑᓂᐊᒍᑦ ᐊᓯᔾᔨᕐᓂᖅ (ᐳᓴᓐᑎ)	ᐅᖁᒪᐃᓐᓂ (ᑕᓐᓯᑦ)		
			ᒥᑭᔪᖅ	LCL	UCL
2021	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	-37.8	53,658	35,405	73,870
2020	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	-9.4	86,211	26,090	170,892
2019	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	102.8	95,138	48,333	146,788
2018	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	19.6	46,900	36,344	58,928
2017	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	-40.2	39,198	30,225	48,907
2016	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	-17.0	65,570	42,137	93,569
2015	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	56.5	78,984	50,852	106,962
2014	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	1.5	50,458	38,914	62,340
2013	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	-17.9	49,697	38,427	60,631
2012	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	-22.9	60,534	43,074	79,960
2011	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	10.5	78,530	23,900	135,037
2010	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	-9.8	71,065	40,234	108,703
2009	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᑦ	54.3	78,755	48,850	110,115
2021	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-40.9	35,792	23,322	48,492
2020	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	5.9	60,531	17,534	125,168
2019	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	74.0	57,143	28,420	87,654
2018	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	32.4	32,842	23,548	44,126
2017	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-28.8	24,800	19,888	30,252
2016	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-42.8	34,827	24,220	46,979
2015	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	78.7	60,869	33,379	88,386
2014	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	6.3	34,069	25,157	43,000
2013	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-22.2	32,049	26,762	37,607
2012	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-13.8	41,190	29,498	54,383
2011	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	9.1	47,807	13,470	82,926
2010	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	12.7	43,800	19,025	79,665
2009	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	40.5	38,856	23,122	56,820

ᑎᑎᖅᖃᖅ A3. ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᓐᓇᖅᑐᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᐃᑦ ᒪᓐᓂᓕᐅᖅᑐᓂᑦ (SS) ᐆᒪᔪᖁᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ Pandalus montagui-*ᒧᑦ ᑲᓇᖕᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᒥᑦ 2009-2021-ᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖁᑦ. LCL ᐊᒻᒪᓗ UCL ᐊᑦᑎᖕᓂᖅᓴᐅᔪᑦ ᐊᒻᒪᓗ ᖁᑦᑎᖕᓂᖅᓴᐅᔪᑦ 95%-ᒥᒃ ᓇᓗᓇᙱᓐᓂᕐᒧᑦ ᑭᒡᓕᐅᔪᓂᑦ. ᐅᑭᐅᕐᒥᑦ ᐅᑭᐅᕐᒧᑦ ᐊᔾᔨᙱᕐᓂᐅᔪᑦ ᓇᓗᓇᐃᖅᓯᔪᑦ ᖃᓂᑕᖕᓚᖁᑦ ᐊᔾᔨᙱᕐᓂᐅᔪᓂᒃ ᑕᐅᑐᖕᒫᖅᓱᒥᑦ ᓯᕗᓂᐊᓂᑦ ᐅᑭᐅᖑᓚᐅᖅᑐᒥᑦ.*

ᐊᕐᕌᒍ	ᐆᒪᓂᖃᕐᕕᐅᔪᖅ	ᐊᕐᕌᒍᒥ ᑭᖑᓂᐊᒍᑦ ᐊᔾᔨᐅᖕᓂᖅ (ᐳᓴᓐᑎ)	ᐅᕐᒧᒪᐃᓐᓂ (ᑕᓐᓯᑦ)		
			ᒥᑭᔪᖅ	LCL	UCL
2021	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-19.0	15,225	5,674	27,430
2020	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	121.1	18,802	6,583	31,371
2019	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-59.3	8,503	3,930	13,948
2018	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-16.3	20,895	12,617	29,450
2017	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	81.0	24,957	17,246	32,311
2016	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	124.7	13,792	6,452	21,126
2015	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-63.0	6,137	3,445	8,629
2014	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	371.0	16,600	11,203	22,084
2013	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-87.8	3,524	1,738	6,208
2012	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	272.7	28,845	8,582	48,946
2011	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	4.3	7,740	2,871	14,285
2010	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-52.7	7,423	5,714	9,290
2009	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	6.9	15,679	6,190	29,774
2021	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-22.4	11,200[1]	4,073	22,834
2020	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	227.0	14,437	4,392	24,991
2019	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-68.0	4,415	1,742	7,275
2018	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-19.8	13,806	9,362	20,052
2017	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	64.4	16,537	9,866	23,250
2016	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	159.4	10,056	2,986	17,280
2015	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-69.5	3,877	2,085	5,452
2014	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	357.1	12,696	8,834	16,622
2013	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-88.2	2,778	1,301	4,949
2012	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	653.8	23,552	6,218	40,985
2011	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-46.3	3,124	1,599	4,721
2010	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-33.7	5,819	4,509	7,136
2009	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-17.7	8,776	4,205	13,955

[1] ᑕᒻᒪᖅᓯᒪᔪᖅ ᕿᕙᐊᕆ 2022 – 112,000 ᑕᒻᒪᖅᓯᒪᔪᓐᓃᖅᑐᖅ 11,200

ᑎᑎᖅᖃᖅ A4. ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᖕᓇᖅᑐᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᐃᑦ ᒪᓐᓂᓕᐅᖅᑐᓂᑦ (SS) ᐆᒪᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ Pandalus boreali*-ᒧᑦ ᐱᖓᓐᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ 2014-2021-ᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓄᑦ. LCL ᐊᒻᒪᓗ UCL ᐊᑦᑎᖕᓂᖅᓴᐅᔪᑦ ᐊᒻᒪᓗ ᖁᑦᑎᖕᓂᖅᓴᐅᔪᑦ 95%-ᒥᒃ ᓇᓗᓇᙱᓐᓂᕐᒧᑦ ᑭᒡᓕᐅᔪᓂᑦ. ᐅᑭᐅᕐᒥᑦ ᐅᑭᐅᕐᒧᑦ ᐊᔾᔨᙳᕐᓂᐅᔪᑦ ᓇᓗᓇᐃᖅᓯᔪᑦ ᖃᓂᑕᒻᒪᓄᑦ ᐊᔾᔨᙳᕐᓂᐅᔪᓂᒃ ᑕᐅᑐᙵᖅᓱᒥᑦ ᓯᕗᓂᐊᓂᑦ ᐅᑭᐅᖑᓚᐅᖅᑐᒥᑦ.*

ᐊᕐᒌᒍ	ᐆᒪᓂᖃᕐᕕᐅᔪᖅ	ᐊᕐᒌᒧᒥ ᑭᖑᓂᐊᒍᑦ ᐊᔾᔮᕐᓂᖅ (ᐳᓴᓐᑎ)	ᐅᕐᑯᒪᐃᓐᓂ (ᑕᓐᓯᑦ)		
			ᒥᑭᔪᖅ	LCL	UCL
2021	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-39.7	19,784	11,230	29,631
2020	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	61.1	32,835	14,867	52,744
2019	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-3.4	20,378	12,852	29,080
2018	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	101.0	21,088	12,627	33,452
2017	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-20.0	10,487	5,073	17,185
2016	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-54.0	13,116	7,867	18,868
2015	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	31.4	28,532	18,531	39,501
2014	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-1.3	21,713	14,353	31,046
2021	ᐊᕐᓇᓗᑲᐃᑦ ᕿᑐᖕᒋᐅᖅᑐᑦ	-19.8	14,082	7,076	22,531
2020	ᐊᕐᓇᓗᑲᐃᑦ ᕿᑐᖕᒋᐅᖅᑐᑦ	48.2	17,555	8,943	27,150
2019	ᐊᕐᓇᓗᑲᐃᑦ ᕿᑐᖕᒋᐅᖅᑐᑦ	-8.1	11,845	7,529	16,299
2018	ᐊᕐᓇᓗᑲᐃᑦ ᕿᑐᖕᒋᐅᖅᑐᑦ	147.0	12,884	7,121	19,203
2017	ᐊᕐᓇᓗᑲᐃᑦ ᕿᑐᖕᒋᐅᖅᑐᑦ	-34.9	5,216	3,045	7,676
2016	ᐊᕐᓇᓗᑲᐃᑦ ᕿᑐᖕᒋᐅᖅᑐᑦ	-45.5	8,015	4,780	11,590
2015	ᐊᕐᓇᓗᑲᐃᑦ ᕿᑐᖕᒋᐅᖅᑐᑦ	19.5	14,710	9,270	20,379
2014	ᐊᕐᓇᓗᑲᐃᑦ ᕿᑐᖕᒋᐅᖅᑐᑦ	25.8	12,309	8,792	16,398

ᑎᑎᖅᑲᖅ A5. ᐃᖃᓗᒃᓯᐅᖅᑕᐅᔪᓐᓇᖅᑐᑦ ᐊᒻᒪᓗ ᐊᕐᓇᓪᓗᐃᑦ ᒪᓐᓂᓕᐅᖅᑐᓂᑦ (SS) ᐆᒪᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ Pandalus montagui *-ᒧᑦ ᐱᖕᖑᖕᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ 2014-2021-ᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓄᑦ. LCL ᐊᒻᒪᓗ UCL ᐊᑦᑎᖕᓂᖅᓴᐅᔪᑦ ᐊᒻᒪᓗ ᖁᑦᑎᖕᓂᖅᓴᐅᔪᑦ 95%-ᒥᒃ ᓇᓗᓇᖕᖏᓐᓂᕐᒧᑦ ᑭᒡᓕᐅᔪᓂᑦ. ᐅᑭᐅᕐᒥᑦ ᐅᑭᐅᕐᒧᑦ ᐊᓯᐊᙵᕐᓂᐅᔪᑦ ᓇᓗᓇᐃᖅᓯᔪᑦ ᖃᓂᑕᙳᓄᑦ ᐊᓯᐊᙵᕐᓂᐅᔪᓂᒃ ᑕᐅᑐᙴᖅᓱᕆᑦ ᓯᕗᓂᐊᓂᑦ ᐅᑭᐅᖑᓚᐅᖅᑐᒥᑦ.*

ᐊᕐᕌᒍ	ᐆᒪᓂᖃᕐᕕᐅᔪᖅ	ᐊᕐᕌᒍᒥ ᑭᖑᓂᐊᒍᑦ ᐊᓯᔾᔨᕐᓂᖅ (ᐳᓴᓐᑎ)	ᐅᖁᒪᐃᓐᓂ (ᑕᓐᓯᑦ)		
			ᒥᑭᔪᖅ	LCL	UCL
2021	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	27.7	65,026	42,563	89,148
2020	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-20.8	50,911	22,199	90,802
2019	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-19.5	64,268	29,711	112,173
2018	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	77.7	79,835	34,057	132,111
2017	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	41.6	44,915	29,179	63,381
2016	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-42.5	31,724	19,507	44,908
2015	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	-28.4	55,194	35,769	76,429
2014	ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᖕᓇᖅᑐᑦ	68.9	77,078	44,854	111,562
2021	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	39.5	37,398	24,651	50,850
2020	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-7.8	26,811	12,310	46,349
2019	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-39.2	29,079	14,930	45,581
2018	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	57.8	47,834	19,926	81,534
2017	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	62.1	30,305	18,830	43,434
2016	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-31.6	18,691	11,090	27,334
2015	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	-29.7	27,324	18,282	37,041
2014	ᐊᕐᓇᓗᑲᐃᑦ ᖁᑐᕐᖏᐅᖅᑐᑦ	44.2	38,875	23,553	55,849

ᐅᐃᒍᓯᒪᔪᖅ B. ᐊᔾᔨᑦ



ᐊᔾᔨ B1. ᐃᓂᐅᔪᖅ ᐱᖓᖕᓇᖓᓂᑦ ᐊᒻᒪᓗ ᑲᓇᖕᓇᖓᓂᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᑦ (ᓴᐃᒥᒃᓗᕐᒥᑦ) ᐊᒻᒪᓗ ᑖᑯᓇᓂ ᑭᖑᖅᓯᐅᕝᕕᐅᔪᑦ (SFA) ᐊᐅᓚᑕᐅᒧᑦ ᐊᕕᒃᑐᖅᓯᒪᔪᑦ (ᑕᓕᖅᐱᒃᓗᕐᒥᑦ). ᑭᒡᓕᐅᔪᑦ ᓄᓇᕗᒻᒥᑦ (NU), ᓄᓇᕕᖕᒥᑦ (NK) ᐊᒻᒪᓗ ᓄᓇᑦᑎᐊᕐᒥᑦ ᓇᓗᓇᐃᖅᓯᒪᔪᑦ ᐊᐅᐸᓗᒃᑐᒥᑦ ᑎᑯᓕᐊᖅᓯᒪᔪᓂᑦ. ᓇᐃᓈᖅᓯᒪᑦ ᕿᑭᖅᑖᓗᒃ ᐃᑭᖕᒐᓗᑦ (DS), ᑲᓇᖕᓇᖓ (E) ᐊᒻᒪᓗ ᐱᖓᖕᓇᖓ (W) ᐊᑐᖅᑕᐅᔪᑦ.



ᐊᔾᔨ B2. ᑲᓇᖕᓇᖓᓂᑦ ᖃᐅᔨᓴᐃᖃᐅᔪᖅ Pandalus borealis *TAC ᐊᒻᒪ ᐱᑕᖅᑕᐅᔪᑦ ᑎᑎᕋᐅᓯᐅᓯᒪᔪᑦ 1979-ᒥᑦ 2021/22-ᒧᑦ (AQM ᑕᖅᕿᓐᓇᕐᔪᐊᖅ (ᔭᓄᐊᕆ) 7, 2022-ᒧᑦ ᑎᑭᖦᖢᒍ); ᐃᖃᓗᒃᓯᐅᖅᓂᖅ ᐅᒃᑯᐃᖕᖓᖕᒪᑦ ᓇᑦᑎᐊᑦ (ᒫᑦᓯ) 31, 2022-ᒧᑦ ᑎᑭᖦᖢᒍ, ᐱᑕᖅᑕᐅᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ ᓯᕗᓪᓕᖅᐹᖑᔪᑦ. ᑭᒡᓕᐅᔪᑦ 1999–2012/13-ᒧᑦ ᐊᓯᐊᓂᒃ ᐊᑦᑎᖅᑕᐅᓚᐅᖅᑐᑦ ᑕᑯᒃᓴᐅᑎᓐᓂᐊᖅᖢᒍ ᓄᑖᑦ ᐊᐅᓚᑦᑎᓂᖅᕿᐅᔪᑦ.*



ᐊᔾᔨ B3. ᑲᓇᖕᓇᖓᓂᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ Pandalus borealis *a) ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᖅ ᐊᒻᒪᓗ b) ᒪᓐᓂᓕᐅᖅᑐᑦ ᐆᒪᓂᖃᕐᕕᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᑦ ᐅᑭᐅᓄᑦ 2009-20021. ᑕᒻᒪᖅᓯᒪᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ 95%-ᖑᔪᑦ ᓇᓗᓇᙱᓐᓂᖅ ᑎᑭᐅᑎᓯᒪᔪᓄᑦ. ᓴᓂᒨᖓᔪᑦ ᑐᖖᔪᖅᑐᑦ ᑎᑯᐊᖅᑐᑦ ᐱᔪᑎᖃᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᒃ ᒥᑭᓂᐅᔪᖕᒧᑦ.*



ᐊᔾᔨ B4. ᑲᓇᖕᓇᖕᒐᓂᑦ ᖃᐅᔨᓴᐃᖅᑲᐅᔪᖅ Pandalus borealis *a) ᐅᓂᖃᐅᓯᐅᔪᖅ ᐊᒻᒪ b) ᐊᑐᖅᑕᐅᑐᐃᓐᓇᕆᐊᓕᖕᓄᑦ ᓈᓴᐅᑎᓄᑦ ᓇᓄᓇᐃᒃᑯᑏᑦ ᐅᑭᐅᖅᓄᑦ 2009/10-2021/22. ᑕᒪᖅᓯᒪᔪᓄᑦ ᓇᓄᓇᐃᒃᑯᑕᐃᑦ 95%-ᖑᔪᑦ ᓇᓄᓇᙱᓐᓂᖅ ᑎᑭᐅᑎᓯᒪᔪᓄᑦ. ᓴᓂᒨᖕᒐᔪᑦ ᑐᖑᔪᖅᑐᑦ ᑎᑯᓚᐊᖅᑐᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᒃ ᒥᑭᓂᐅᔪᕐᒧᑦ.*



ᐊᔾᔨ B5. ᑲᓇᖕᓇᖓᓂᑦ ᖃᐅᔨᓴᐃᖁᐅᔭᖅ Pandalus borealis *ᒪᓂᓕᐅᖅᑐᓄᑦ ᐆᒪᓂᖃᖁᐅᔪᒧᑦ ᓇᓄᓇᐃᒃᑯᑎᑦ ᐊᒻᒪᓗ ᐊᑐᖅᑕᐅᓂᕐᒧᑦ ᓈᓴᐅᑏᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐱᒋᐊᖁᐅᔪᒪᔪᓂᑦ 2020-ᒥᑦ (ᐃᖃᓗᓕᕆᔾᑯᑦ 2020). ᑎᑯᓕᐊᖅᑐᑦ ᐊᖁᔾᔨᒪᐅᖅᓱᑎᒃ ᓇᓄᓇᐃᖅᓯᔪᑦ ᖁᑦᑎᖕᓂᖅᓴᒥᑦ ᐱᑕᖃᐅᖅᑐᓂᑦ (USR) ᐊᒻᒪᓗ ᐊᐅᐸᓗᒃᑐᖅ ᑐᑭᓕᐊᖅᑐᖅ ᓇᓄᓇᐃᖅᓯᔪᖅ LRP-ᒥᕐ, ᐊᑐᓂ ᐱᔾᔪᑎᖃᖅᑐᑦ 80%-ᓂᒃ ᐊᒻᒪᓗ 40%-ᓂᒃ, ᓈᓴᐅᓯᕆᓂᒃᑯᑦ ᒥᑭᔪᖅ ᐊᕐᓇᓪᓗᐃᑦ SSB-ᒧᑦ ᓇᓄᓇᐃᒃᑯᑎᐅᔪᑦ 2009-ᒥᑦ 2019-ᒧᑦ ᖃᐅᔨᓴᐃᓂᕐᓄᑦ. USR ᐊᑐᓕᖅᑎᑕᐅᓚᐅᕐᒪᑦ ᐊᒻᒪᓗ ᒫᓇ ᐅᖃᖃᑎᒌᖕᓂᒃᑰᖓᓪᓗᑎᒃ, ᑭᖑᓪᓕᖅᐹᖅ ᐃᓂᐅᔪᖅ ᑎᑯᓕᐊᖅᑐᑦ ᐊᖁᔾᔨᒪᔪᓂᑦ ᖃᐅᔨᔭᐅᓚᐅᕐᓯᑦᑐᖅ ᓯᓕ.*



ᐊᔾᔨ B6. ᑲᓐᖓᓐᖑᓂᑦ ᖃᐅᔨᓴᐃᖦᐅᔪᖅ Pandalus montagui TAC ᐊᒻᒪᓗ ᐱᑕᖅᑕᐅᔪᑦ ᑎᑎᕋᐅᓯᐅᓯᒪᔪᑦ 1979-ᒥᑦ 2021/22-ᒧᑦ (AQM ᑕᖅᑮᓐᓇᕐᔪᐊᖅ (ᔭᓄᐊᓕ) 7, 2022-ᒧᑦ ᑎᑭᓪᓗᒍ); ᐃᖃᓗᒃᓯᐅᕐᓂᖅ ᐅᒃᑯᐃᖓᖕᒪᑦ ᓇᑦᑎᐊᑦ (ᒫᑦᓯ) 31, 2022-ᒧᑦ ᑎᑭᓪᓗᒍ, ᐱᑕᖅᑕᐅᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ ᓯᕗᓪᓕᖅᐸᕖᔪᑦ. ᑮᓕᐅᔪᑦ 1999–2012/13-ᒧᑦ ᐊᓯᐊᓂᒃ ᐊᑦᑎᖅᑕᐅᓚᐅᖅᑐᑦ ᑕᑯᒃᓴᐅᑎᓐᓂᐊᕐᓗᒍ ᓄᑖᑦ ᐊᐅᓚᑦᑎᓂᖃᕐᕕᐅᔪᑦ.



ᐊᔾᔨ B7. ᑲᓇᓐᓇᙱᓂᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ Pandalus montagui *a) ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᖅ ᐊᒻᒪᓗ b) ᒪᓐᓂᓕᐅᖅᑐᑦ ᐆᒪᓂᖃᕝᕕᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᑦ ᐅᑭᐅᓄᑦ 2009-20021. ᑕᒻᒪᖅᓯᒪᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ 95%-ᖑᔪᑦ ᓇᓗᓇᙱᓐᓂᖅ ᑎᑭᐅᑎᓯᒪᔪᓄᑦ. ᓴᓂᓘᙵᔪᑦ ᑐᖑᔪᖅᑐᑦ ᑎᑯᓕᐊᖅᑐᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᒃ ᒥᑭᓂᐅᔪᕐᒧᑦ.*



ᐊᔾᔨ B8. ᑲᓇᖕᓇᖖᒋᑦ ᖃᐅᔨᓴᐃ ᕝᕕᐅᔪᖅ Pandalus montagui *a) ᐅᓂᖬᐅᓯᐅᔪᖅ ᐊᒻᒪᓗ b) ᐊᑐᖅᑕᐅᑐᐃᓐᓇᕆᐊᓕᖕᓄᑦ ᓈᓴᐅᑎᓄᑦ ᓇᓗᓇᐃᒃᑯᑏᑦ ᐅᑭᐅᕐᓄᑦ 2009/10-2021/22. ᑕᒻᒪ ᖅᓯᒪᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ 95%-ᖑᔪᑦ ᓇᓗᓇ ᙱᓐᓂᖅ ᑎᑭᐅᑎᓯᒪᔪᓄᑦ. ᓴᓂᓘᖕᒐᔪᑦ ᑐᖑᔪᖅᑐᑦ ᑎᑯᓕᐊᖅᑐᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᒃ ᒥᑭᓂᐅᔪᕐᒧᑦ.*



ᐊᔾᔨ B9. ᑲᓇᖕᓇ ᖑᓂᑦ ᖃᐅᔨᓴᐃ ᖁᐊᐅᔪᖅ Pandalus montagui *ᒪᓐᓂᓕᐅᖅᑐᓄᑦ ᐆᒪᓂᖃᖁᐊᐅᔪᒧᑦ ᓇᓗᓇᐃᒃᑯᑎᑦ ᐊᒻᒪᓗ ᐊᑐᖅᑕᐅᓂᕐᒧᑦ ᓈᓴᐅᑏᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐱᒋᐊᖁᐊᐅᔪᒪᔪᓂᑦ 2020-ᒥᑦ (ᐃᖃᓗᓕᕆᔩᒃᑯᑦ 2020). ᑎᑯᓕᐊᖅᑐᑦ ᐊᕕᒃᓯᒪᐅᖅᓱᑎᒃ ᓇᓗᓇᐃᖅᓯᔪᑦ ᖁᑦᑎᖕᓂᖅᓴᒥᑦ ᐱᑕᖃᐅᖅᑐᓂᑦ (USR) ᐊᒻᒪᓗ ᐊᐅᐸᓗᒃᑐᖅ ᑐᑭᓕᐊᖅᑐᖅ ᓇᓗᓇᐃᖅᓯᔪᖅ LRP-ᒥᕐ, ᐊᑐᓂ ᐱᔾᔪᑎᖃᖅᑐᑦ 80%-ᓂᒃ ᐊᒻᒪᓗ 40%-ᓂᒃ, ᓈᓴᐅᓯᕆᓂᒃᑯᑦ ᒥᑭᔪᖅ ᐊᕐᓇᖅᑐᐃᑦ SSB-ᒧᑦ ᓇᓗᓇᐃᒃᑯᑎᐅᔪᑦ 2009-ᒥᑦ 2019-ᒧᑦ ᖃᐅᔨᓴᐃᓂᕐᓄᑦ. USR ᐊᑐᓕᖅᑎᑕᐅᓚᐅᖏᒪᑦ ᐊᒻᒪᓗ ᒫᓐᓇ ᐅᖃᖃᑎᒋᖕᓂᒃᑰᖓᓪᓗᑎᒃ, ᑭᖑᓪᓕᖅᐹᖅ ᐃᓂᐅᔪᖅ ᑎᑯᓕᐊᖅᑐᑦ ᐊᕕᒃᓯᒪᔪᓂᑦ ᖃᐅᔾᔭᐅᓚᐅᖏᑦᑐᖅ ᓯᓚ.*



ᐊᔾᔨ B10. ᐱᖓᓐᓇᖓᓂᑦ ᖃᐅᔨᓴᐃᖁᐅᔪᖅ Pandalus borealis *TAC ᐊᒻᒪᓗ ᐱᑕᖅᑕᐅᔪᑦ ᑎᑎᕋᐅᓯᐅᓯᒪᔪᑦ 2014/15-ᒥᑦ 2021/22-ᒧᑦ (AQM ᑕᖅᑮᓐᓇᕐᔪᐊᖅ (ᔭᓄᐊᕆ) 7, 2022-ᒧᑦ ᑎᑭᓪᓗᒍ); ᐃᖃᓗᒃᓯᐅᕐᓂᖅ ᐅᒃᑯᐃᖓᖕᒪᑦ ᓇᕐᑎᐊᑦ (ᒫᓯ) 31, 2022-ᒧᑦ ᑎᑭᓪᓗᒍ, ᐱᑕᖅᑕᐅᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ ᓯᕗᓪᓕᖅᐹᖑᔪᑦ.*



ᐊᔾᔨ B11. ᐱᖑᖓᓐᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ Pandalus borealis *a) ᐃᖃᓗᒃᓯᐅᕐᕕᐅᔪᓐᓇᖅᑐᖅ ᐊᒻᒪᓗ b) ᒫᓂᓕᐅᖅᑐᑦ ᐆᒪᓂᖃᕐᕕᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᑦ ᐅᑭᐅᓄᑦ 2014-2021. ᑕᒻᒪᖅᓯᒪᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ 95%-ᖑᔪᑦ ᓇᓗᓇᙱᓐᓂᖅ ᑎᑭᐅᑎᓯᒪᔪᓄᑦ. ᓴᓂᗚᖓᔪᑦ ᐊᐅᐸᖅᑐᖅ ᑎᑯᐊᖅᑐᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᒃ ᒥᑭᓂᐅᔪᕐᒧᑦ.*



ᐊᔾᔨ B12. ᐱᖓᓐᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ Pandalus borealis *a) ᐅᓂᖃᐅᓯᐅᔪᖅ ᐊᒻᒪᓗ b) ᐊᑐᖅᑕᐅᑐᐃᓐᓇᕆᐊᓕᖕᓄᑦ ᓈᓴᐅᑎᓄᑦ ᓇᓗᓇᐃᒃᑯᑏᑦ ᐅᑭᐅᕐᓄᑦ 2014/15-2021/22. ᑕᒻᒪᖅᓯᒪᔪᓄᑦ ᓇᓗᓇᐃᒃᑕᐃᑦ 95%-ᖑᔪᑦ ᓇᓗᓇᖕᖏᓐᓂᖅ ᑎᑭᐅᑎᓯᒪᔪᓄᑦ. ᓴᓂᒨᖓᔪᑦ ᐊᐅᐸᖅᑐᖅ ᑎᑯᓕᐊᖅᑐᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᒃ ᒥᑭᓂᐅᔪᕐᒧᑦ.*



ᐊᔾᔨ B13. ᐱᖓᓐᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ Pandalus borealis ᒪᓂᓕᐅᖅᑐᓄᑦ ᐆᒪᓂᖃᖁᕕᐅᔪᒧᑦ ᓇᓗᓇᐃᒃᑯᑎᑦ ᐊᒻᒪᓗ ᐊᑐᖅᑕᐅᓂᕐᒧᑦ ᓈᓴᐅᑏᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐱᓕᐊᕝᕕᐅᔪᒪᔪᓂᑦ 2020-ᒥᑦ (ᐃᖃᓗᓕᕆᔩᒃᑯᑦ 2020). ᑎᑯᓕᐊᖅᑐᑦ ᐊᑲᐅᔾᔨᒪᐅᖅᓱᑎᒃ ᓇᓗᓇᐃᖅᓯᔪᑦ ᖁᑦᑎᓐᓂᖅᓴᒥᑦ ᐱᓚᖃᐅᖅᑐᓂᑦ (USR) ᐊᒻᒪᓗ ᐊᐅᐸᓗᒃᑐᖅ ᑐᑭᓕᐊᖅᑐᖅ ᓇᓗᓇᐃᖅᓯᔪᖅ LRP-ᒥᑦ, ᐊᑐᓂ ᐱᔾᔪᑎᖃᖅᑐᑦ 80%-ᓂᒃ ᐊᒻᒪᓗ 40%-ᓂᒃ, ᓈᓴᐅᓯᕆᓂᒃᑯᑦ ᒥᑭᔪᖅ ᐊᕐᓇᓪᓗᐃᑦ SSB-ᒧᑦ ᓇᓗᓇᐃᒃᑯᑎᐅᔪᑦ 2014-ᒥᑦ 2019-ᒧᑦ ᖃᐅᔨᓴᐃᓂᖁᑦ. USR ᐊᑐᓕᖅᑎᑕᐅᓚᐅᕐᒪᑦ ᐊᒻᒪᓗ ᒫᓐᓇ ᐅᖃᖃᑎᒌᖕᓂᒃᑯᖓᓚᐅᕐᑎᒃ, ᑭᖑᓪᓕᖅᐹᖅ ᐃᓂᐅᔪᖅ ᑎᑯᓕᐊᖅᑐᑦ ᐊᑲᐅᔾᔨᒪᔪᓂᑦ ᖃᐅᔨᔭᐅᓚᐅᕐᑎᑦᑐᖅ ᓯᓕ



.

ᐊᔾᔨ B14. ᐱᙱᓐᓇᙱᓂᑦ ᖃᐅᔨᓴᐃᖃᐅᔪᖅ Pandalus montagui *TAC ᐊᒻᒪᓗ ᐱᑕᖅᑕᐅᔪᑦ ᑎᑎᕋᐅᓯᐅᓯᒪᔪᑦ 2014/15-ᒥᑦ 2021/22-ᒧᑦ (AQM ᑕᖅᕿᓐᓇ ᕐᔪᐊᖅ (ᔭᓄᐊᕆ) 7, 2022-ᒧᑦ ᑎᑭᖦᖢᒍ); ᐃᖃᓗᒃᓯᐅᕐᓂᖅ ᐅᑯᐃᙱᙵᑦ ᓇᕐᑎᐊᑦ (ᒫᕐᓯ) 31, 2022-ᒧᑦ ᑎᑭᖦᖢᒍ, ᐱᑕᖅᑕᐅᔪᓄᑦ ᓇᓚᐅᑦᑖᖅᑕᐅᔪᑦ ᓱᕉᖦᖠᖅᐸᙳᔪᑦ.*



ᐊᔾᔨ B15. ᐱᖓᓐᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᖅ Pandalus montagui *a) ᐃᖃᓗᒃᓯᐅᕝᕕᐅᔪᓐᓇᖅᑐᖅ ᐊᒻᒪᓗ b) ᒪᓐᓂᓕᐅᖅᑐᑦ ᐆᒪᓂᖃᕝᕕᐅᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᑦ ᐅᑭᐅᓄᑦ 2014-2021. ᑕᒻᒪᖅᓯᒪᔪᓄᑦ ᓇᓗᓇᐃᒃᑯᑕᐃᑦ 95%-ᖑᔪᑦ ᓇᓗᓇᙱᓐᓂᖅ ᑎᑭᐅᑎᓯᒪᔪᓄᑦ. ᓴᓂᒨᖓᔪᑦ ᐊᐅᐸᖅᑐᖅ ᑎᑯᐊᖅᑐᑦ ᐱᔾᔪᑎᒋᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᒃ ᒥᑭᓂᐅᔪᕐᒧᑦ.*



ᐊᔾᔨ B16. ᐱᖓᓐᓇᒥᑦ ᖃᐅᔾᔨᐅᑉᐳᔪᖅ Pandalus montagui *a) ᐅᓂᖃᐅᓯᐅᔪᖅ ᐊᒻᒪᓗ b) ᐊᑐᖅᑕᐅᑐᐃᓐᓇᕆᐊᓖᓐᓄᑦ ᓈᓴᐅᑎᓄᑦ ᓇᓄᓇᐃᒃᑯᑏᑦ ᐅᑭᐅᕐᓄᑦ 2014/15-2021/22. ᑕᒪᖏᓯᒪᔪᓄᑦ ᓇᓄᓇᐃᒃᑯᑕᐃᑦ 95%-ᖑᔪᑦ ᓇᓄᓇ ᙱᓐᓂᖅ ᑎᑭᐅᑎᓯᒪᔪᓄᑦ. ᓴᓂᓘᖓᔪᑦ ᐊᐅᐸᖅᑐᖅ ᑎᑯᐊᖅᑐᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐊᑯᓂᐅᔪᒥᒃ ᒥᑭᓂᐅᔪᕐᒧᑦ.*



ᐊᔾᔨ B17. ᐱᖓᓐᓇᒥᑦ ᖃᐅᔨᓴᐃ ᕿᐅᔪᖅ Pandalus montagui *ᒪᓐᓂᓕᐅᖅᑐᓄᑦ ᐆᒪᓂᖃᕿᐅᔫᒧᑦ ᓇᓄᓇᐃᒃᑯᑎᑦ ᐊᒻᒪᓗ ᐊᑐᖅᑕᐅᓂᕐᒧᑦ ᓈᓴᐅᑏᑦ ᐱᔾᔪᑎᖃᖅᑐᑦ ᐱᕆᐊᕿᐅᔪᒪᔪᓂᑦ 2020-ᒥᑦ (ᐃᖃᓗᓕᕆᔩᒃᑯᑦ 2020). ᑎᑯᓕᐊᖅᑐᑦ ᐊᕕᒃᓯᒪᐅᖅᓱᑎᒃ ᓇᓄᓇᐃᖅᓯᔪᑦ ᖁᑎᖕᓂᖅᓴᒥᑦ ᐱᑕᖃᐅᖅᑐᓂᑦ (USR) ᐊᒻᒪᓗ ᐊᐅᐸᓗᒃᑐᖅ ᑐᑭᓕᐊᖅᑐᖅ ᓇᓄᓇᐃᖅᓯᔪᖅ LRP-ᒥᕐ, ᐊᑐᓂ ᐱᔾᔪᑎᖃᖅᑐᑦ 80%-ᓂᒃ ᐊᒻᒪᓗ 40%-ᓂᒃ, ᓈᓴᐅᓯᕆᓂᒃᑯᑦ ᒥᑭᔪᖅ ᐊᕐᓇᓪᓗᐃᑦ SSB-ᒧᑦ ᓇᓄᓇᐃᒃᑯᑎᐅᔪᑦ 2014-ᒥᑦ 2019-ᒧᑦ ᖃᐅᔨᓴᐃᓂᕐᓄᑦ. USR ᐊᑐᓕᖅᑎᑕᐅᓚᐅᖏᒻᒪᑦ ᐊᒻᒪᓗ ᒫᓐᓇ ᐅᖃᖃᑎᒌᖕᓂᒃᑰᖓᑉᓗᑎᒃ, ᑭᖑᓪᓕᖅᐹᖅ ᐃᓂᐅᔪᖅ ᑎᑯᓕᐊᖅᑐᑦ ᐊᕕᒃᓯᒪᔪᓂᑦ ᖃᐅᔾᔮᐅᓚᐅᖏᑦᑐᖅ ᓯᓚ.*

ᑖᓇ ᐅᓂᒃᑳᖅ ᐊᑐᐃᓐᓇᐅᔫᖅ ᐅᕙᓐᖓᑦ

ᑐᑦᑕᕝᕕᒃ ᑭᓪᓕᓯᓂᐊᕐᓂᕐᒧᑦ ᖃᐅᔨᒪᔾᔪᑎᓂᑦ
ᐋᓐᑎᐅᕆᔪ ᐊᒻᒪᓗ ᐳᕆᐅᕆᓂᑦ
ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᐊᒻᒪ ᑕᕆᐅᕐᒥᐅᑕᓕᕆᔨᒃᑯᑦ ᑲᓇᑕᒥ
501 ᔫᓂᕚᓯᑎ ᑯᕆᓴᓐᑦ
ᐅᐃᓂᐱᒡ, ᒫᓂᑑᐸ
R3T 2N6

ᖃᕋᓴᐅᔭᒃᑯᑦ: xcna-csa-cas@dfo-mpo.gc.ca
ᖃᕆᓴᐅᔭᒃᑯᑦ ᑐᕌᒐᖅ: www.dfo-mpo.gc.ca/csas-sccs/

ISSN 1919-3769

ᐋᖅᑭᒋᐊᖅᑕᐅᓂᖓ ᑕᐃᔭᐅᓯᒪᓂᖅ ᑕᒪᑐᒧᖓ ᐊᒥᓱᑮᖅᑎᑕᐅᓂᕐᒧᑦ:

ᐃᖃᓗᓕᕆᔨᒃᑯᑦ 2022. ᓄᑖᙳᖅᑎᕆᓂᖅ ᖃᓄᐃᖓᓂᖏᓐᓄᑦ ᓇᓗᓇᐃᖅᓯᔾᔪᑎᓄᑦ ᐅᑭᐅᖅᑕᖅᑐᒥᑦ ᑭᖑᕐᓄᑦ, Pandalus borealis, ᐊᒻᒪᓗ ᑕᖅᓴᓕᓐᓄᑦ ᑭᖑᕐᓄᑦ, Pandalus montagui, ᐱᖓᓐᓇᒥᑦ ᐊᒻᒪᓗ ᑲᓇᙳᓇᒥᑦ ᖃᐅᔨᓴᐃᕝᕕᐅᔪᓂᑦ ᐃᓂᓕᐊᓂᕐ, ᑕᖅᕿᓐᓇᖑᐊᖅ (ᔭᓄᐊᕆ) 2022. ᑲᓇᑕᒥᑦ ᐃᖃᓗᓕᕆᔨᒃᑯᑦ ᑲᓇᑕᒥᑦ ᖃᐅᔨᓇᓱᒃᓂᕐᒧᑦ ᐅᖃᐅᓯᖏᒃᑯᑦ ᑎᑎᕋᕝᕕᖓᑦ ᖃᐅᔨᓇᓱᒃᓂᕐᒧᑦ ᐅᐸᓗᐊᓂᖅ 2022/013. (ᑕᒻᒪᖅᓯᒪᔪᖅ: ᕖᕝᕗᐊᕆ 2022)

Also available in English:

DFO. 2022. Update of stock status indicators for Northern Shrimp, Pandalus borealis, and Striped Shrimp, Pandalus montagui, in the Western and Eastern Assessment Zones, January 2022. DFO Can. Sci. Advis. Sec. Sci. Resp. 2022/013. (Erratum: February 2022)

Aussi disponible en français :

MPO. 2022. Mise à jour des indicateurs de l’état des stocks pour la crevette nordique, Pandalus borealis, et la crevette ésope, Pandalus montagui, dans les zones d’évaluation ouest et est, janvier 2022. Secr. can. des avis. sci. du MPO. Rép. des Sci. 2022/013. (Erratum : février 2022)